

References

- ACT (Australian Capital Territory) Government (2005) *A Vision Splendid of the Grassy Plains Extended. ACT Lowland Native Grassland Conservation Strategy*. Action Plan 28, Environment ACT, Arts Heritage and Environment, Canberra.
- ACT (Australian Capital Territory) Weeds Working Group (2002) *ACT Chilean Needle Grass Management Plan. Final Draft*. ACT Government, Canberra, 11 pp.
- Adair, R.J. (1995) The threat of environmental weeds to biodiversity in Australia: a search for solutions. In R.A. Bradstock, T.D. Auld, D.A. Keith, R.T. Kingsford, D. Lunney and D.P. Sivertsen (Eds.), *Conserving Biodiversity: Threats and Solutions*. Surrey Beatty and Sons, Sydney, pp. 184-201.
- Adair, R.J. and Groves, R.H. (1998) *Impact of Environmental Weeds on Biodiversity: a Review and Development of a Methodology*. Environment Australia, Canberra.
- Aguiar, M.R. (2005) Biodiversity in grasslands. Current changes and future scenarios. In S.G. Reynolds and J. Frame (Eds.), *Grasslands: Developments Opportunities Perspectives*. United Nations Food and Agriculture Organisation and Science Publishers Inc., pp. 261-280.
- Aitken, P.F. (1983) Mammals. In M.J. Tyler, C.R. Twidale, J.K. Ling and J.W. Holmes (Eds.), *Natural History of the South East*. Royal Society of South Australia Inc., pp. 127-133.
- Alpert, P. and Maron, J.L. (2000) Carbon addition as a countermeasure against biological invasion by plants. *Biological Invasions* 2, 33-40.
- Anderson, F., Pettit, W., Briese, D.T. and McLaren, D.A. (2002) Biological control of serrated tussock and Chilean needlegrass. *Plant Protection Quarterly* 17(3), 104-110.
- ARMCANZ (Agriculture and Resource Management Council of Australia and New Zealand), ANZECC (Australian and New Zealand Environment and Conservation Council) and Forestry Ministers (2001). *Weeds of National Significance Chilean Needle Grass (Nassella neesiana) Strategic Plan*. National Weeds Strategy Executive Committee, Launceston.
- Badgery, W. (2004) Managing competition between *Nassella trichotoma* (Serrated Tussock) and native grasses. PhD thesis, Faculty of Rural Management, University of Sydney.
- Badgery, W.B., Kemp, D.R., Michalk, D.L. and King, W.M.C.G. (2005) Competition for nitrogen between Australian native grasses and the introduced weed *Nassella trichotoma*. *Annals of Botany* 96, 799-809.

- Baeza, C.M., Marticorena, C., Stuessy, T., Ruiz, E. and Negritto, M. (2007) Poaceae en el archipelago de Juan Fernandez (Robinson Crusoe). *Gayana Botánica* 64(2), 125-174.
- Barbosa, E.G., Pivello, V.R. and Meirelles, S.T. (2008) Allelopathic evidence in *Brachiaria decumbens* and its potential to invade the Brazilian cerrados. *Brazilian Archives of Biology and Technology* 51(4), 825-832.
- Barker, G.M. (2008) Mollusc herbivory influenced by endophytic clavicipitaceous fungal infection in grasses. *Annals of Applied Biology* 153, 381-393.
- Barkworth, M.E. (1990) *Nassella* (Gramineae, Stipeae): revised interpretation and nomenclatural changes. *Taxon* 39, 597-614.
- Barkworth, M.E. (2006) Stipeae. Web site of the Intermountain Herbarium, Utah State University, Logan, Utah, USA. <http://herbarium.usu.edu./stipeae/> [Accessed 24 September 2006, 16 July 2007, *et sub.*].
- Barriga-Tuñón, J.E. (2011) Coleoptera Neotropical. <http://www.coleoptera-neotropical.org> [Accessed 15 December 2011]
- Barrion, A.T. and Litsinger, J.A. (1995) *Riceland Spiders of South and Southeast Asia*. CAB International and International Rice Research Institute, Wallingford, UK.
- Bartley, M.J., Parsons, R.F. and Scarlett, N.H. (1990) *Stipa neesiana* (Chilean Needle Grass) threat to grassland reserves and endangered plants in the Melbourne region. Letter from Department of Botany, LaTrobe University, to John Taylor, Acting Regional Manager, Melbourne Region, Department of Conservation and Environment, 7 May, 2 pp.
- Baruch, Z. and Fernández, D.S. (1993) Water relations of native and introduced C₄ grasses in a neotropical savanna. *Oecologia* 96, 179-185.
- Baskin, C.C. and Baskin, J.M. (1998) Ecology of seed dormancy and germination in grasses. In G.P. Cheplick (Ed.), *Population Biology of Grasses*. Cambridge University Press, Cambridge, UK, pp. 30-83.
- Beames, L., Hocking, C. and Włodarczyk, P. (2005) Best practice management of Chilean needle grass (*Nassella neesiana*) in conservation reserves – the seed bank story. *Plant Protection Quarterly* 20(1), 2-8.
- Bedgood, W. and Moerkerk, M. (compilers) (2002) Integrated weed management results from a workshop on Chilean needle grass management held at Victoria University of Technology, St Albans, Victoria, 2 October 2002. Cooperative Research Centre for Weed Management Systems, Adelaide, 12 pp.
- Benson, D. and McDougall, L. (2005) Ecology of Sydney plant species Part 10. Monocotyledon families Lemnaceae to Zosteraceae. *Cunninghamia* 9(1), 16-212.

- Berry, S. and Mulvaney, M. (1995) *An Environmental Weed Survey of the Australian Capital Territory*. A Report Prepared for the Conservation Council of the South-east Region and Canberra, August, 2 vols.
- Blumenthal, D.M. (2009) Carbon addition interacts with water availability to reduce invasive forb establishment in a semi-arid grassland. *Biological Invasions* 11, 1281-1290.
- Bolger, T.P., Rivelli, A.R. and Garden, D.L. (2005) Drought resistance of native and introduced perennial grasses of south-eastern Australia. *Australian Journal of Agricultural Research* 56, 1261-1267.
- Bond, W.J., Silander, J.A., Ranaivonasy, J. and Ratsirarson, J. (2008) The antiquity of Madagascar's grasslands and the rise of C₄ grassy biomes. *Journal of Biogeography* 35, 1743-1758.
- Booth, R.G., Cox, M.L. and Madge, R.B. (1990) *IEE Guides to Insects of Importance to Man 3. Coleoptera*. International Institute of Entomology, Wallingford, UK.
- Boschetti, L., Flasse, S.P. and Brivio, P.A. (2004) Analysis of the conflict between omission and commission in low spatial resolution dichotomic thematic products: The Pareto boundary. *Remote Sensing of the Environment* 91, 280-292.
- Bourdôt, G.W. (1989) Letter to Dr. R.F. Parsons, Botany Department, La Trobe University (addressed to University of Melbourne) from Ministry of Agriculture and Fisheries New Zealand, re *Stipa neesiana*, 13 November, 1 p.
- Bourdôt, G.W. and Hurrell, G.A. (1987a) Chilean needle grass (*Stipa neesiana*). 1. Control with herbicides in pasture. *Proceedings of the 40th New Zealand Pest and Weed Control Conference*, pp. 204-207.
- Bourdôt, G.W. and Hurrell, G.A. (1987b) Chilean needle grass (*Stipa neesiana*) 2. Herbicidal control in lucerne. *Proceedings of the 40th New Zealand Pest and Weed Control Conference*, pp. 208-211.
- Bourdôt, G.W. and Hurrell, G.A. (1989a) Cover of *Stipa neesiana* Trin. and Rupr. (Chilean needle grass) on agricultural and pastoral land near Lake Grassmere, Marlborough. *New Zealand Journal of Botany* 27, 415-420.
- Bourdôt, G.W. and Hurrell, G.A. (1989b) Ingress of *Stipa neesiana* Trin. and Rupr. into swards of *Lolium perenne* L., *Dactylis glomerata* L. and *Phalaris aquatica* L., on a dry, low-fertility soil in Marlborough as affected by fertiliser and 2,2-DPA. *New Zealand Journal of Agricultural Research* 32, 317-326.
- Bourdôt, G.W. and Hurrell, G.A. (1992) Aspects of the ecology of *Stipa neesiana* Trin. and Rupr. seeds. *New Zealand Journal of Agricultural Research* 35, 101-108.

- Bourdôt, G.W. and Ryde, D.H. (1986) Chilean needle grass *Stipa neesiana*. Significance, identification, control. *Ministry of Agriculture and Fisheries Aglink FPP 675*, 1st Edn, Information Services MAF, Wellington, 2 pp.
- Braby, M.F. (2000) *Butterflies of Australia. Their Identification, Biology and Distribution*. CSIRO Publishing, Collingwood, Victoria.
- Briese, D.T. and Macauley, B.J. (1980) Temporal structure of an ant community in semi-arid Australia. *Australian Journal of Ecology* 5, 121-134.
- Briese, D.T. and Macauley, B.J. (1981) Food collection within an ant community in semi-arid Australia, with special reference to seed harvesters. *Australian Journal of Ecology* 6, 1-19.
- Britt, D. (2001) An investigation into the taxonomy, natural enemies and control methods for Chilean needle grass in Australia. B.Appl.Sci. (Hons.) thesis, Department of Applied Biology/Biotechnology, RMIT University, Melbourne.
- Brown, W.L. Jr. (1971) The identity and synonymy of *Pheidole vigilans*, a common ant of southeastern Australia (Hymenoptera: Formicidae). *Journal of the Australian Entomological Society* 10, 13-14.
- Bruce, N. (2001) *ACT Survey of Chilean Needle Grass (Nassella neesiana). A Report Prepared for Environment ACT*, February, 55 pp.
- Buckley, Y.M., Bolker, B.M. and Rees, M. (2007) Disturbance, invasion and re-invasion: managing the weed-shaped hole in disturbed ecosystems. *Ecology Letters* 10, 809-817.
- Burke, M.J. and Grime, J.P. (1996) An experimental study of plant community invasibility. *Ecology* 77, 776-90.
- Byers, J.E., Reichard, S., Randall, J.M., Parker, I.M., Smith, C.S., Lonsdale, W.M., Atkinson, I.A.E., Seastedt, T.R., Williamson, M., Chornesky, E. and Hayes, D. (2002) Directing research to reduce the impacts of nonindigenous species. *Conservation Biology* 16, 630-640.
- Callaway, R.M. and Maron, J.L. (2006) What have exotic plant invasions taught us over the past 20 years? *Trends in Ecology and Evolution* 21(7), 369-374.
- Cameron, L. and Richardson, R.G. (1998) *Hypochoeris radicata* L. In F.D. Panetta, R.H. Groves and R.C.H. Shepherd (Eds.), *The Biology of Australian Weeds Volume 2*. R.G. and F.J. Richardson, Melbourne, pp. 107-118.
- Campbell, M.H. (1966) Theft by harvesting ants of pasture seed broadcast on unploughed land. *Australian Journal of Experimental Agriculture and Animal Husbandry* 6, 334-338.

- Campbell, M.H. (1998) Biological and ecological impact of serrated tussock (*Nassella trichotoma* (Nees) Arech.) on pastures in Australia. *Plant Protection Quarterly* 13(2), 80-86.
- Carr, G.W. (1993) Exotic flora of Victoria and its impact on indigenous biota. In D.B. Foreman and N.G. Walsh (Eds.), *Flora of Victoria Volume 1. Introduction*. Inkata Press, Melbourne, pp. 256-297.
- Carr, G.W. (1999) Checklist of the vascular flora of the Victorian Volcanic Plain, June 1997. In R.N. Jones (Ed.), *The Great Plains Crash. Proceedings of a Conference on the Grasslands and Grassy Woodlands of Victoria*. Victoria Institute of Technology, October 2nd and 3rd, 1992, Indigenous Flora and Fauna Association and Victorian National Parks Association, pp. 91-119.
- Carr, G.W., Robin, J.M. and Robinson, R.W. (1986) Environmental weed invasion of natural ecosystems: Australia's greatest conservation problem. In R.H. Groves and J.J. Burdon (Eds.), *Ecology of Biological Invasions: An Australian Perspective*. Australian Academy of Science, Canberra, p. 150.
- Carr, G.W., Yugovic, J.V. and Robinson, K.E. (1992) *Environmental Weed Invasion in Victoria. Conservation and Management Implications*. Department of Conservation and Environment and Ecological Horticulture Pty Ltd, East Melbourne and Clifton Hill.
- Carter, O., Murphy, A.M. and Cheal, D. (2003) Natural temperate grassland. Australian Government Department of the Environment and Water Resources. <http://www.environment.gov.au/biodiversity/publications/grasslands>
- Chadwick, C.E. (1966) Investigations on *Plutorectis caespitosae* Oke (Lep., Psychidae) and *Oncopera alpina* Tindale (Lep., Hepialidae) in the Australian Alps. *Journal of the Entomological Society of Australia (NSW)* 3, 5-29.
- Chan, C.W. (1980) Natural grasslands in Canberra: their distribution, phenology and effects of mowing. MSc thesis, Australian National University, Canberra.
- Cheplick, G.P. (1998) Seed dispersal and seedling establishment in grass populations. In G.P. Cheplick (Ed.), *Population Biology of Grasses*. Cambridge University Press, Cambridge, UK, pp. 84-105.
- Chigineva, N.I., Aleksandrova, A.V. and Tiunov, A.V. (2009) The addition of labile carbon alters litter fungal communities and decreases litter decomposition rates. *Applied Soil Ecology* 42, 264-270.
- City of Whittlesea (no date, c. 2007) Chilean Needle Grass (*Nassella neesiana*). Whittlesea Weed Fact Sheet, City of Whittlesea, Victoria, 2 pp.

- Clark, L.G. and Fisher, J.B. (1986) Vegetative morphology of grasses: shoots and roots. In T.S. Soderstrom, K.W. Hilu, C.S. Campbell and M.E. Barkworth (Eds.), *Grass Systematics and Evolution*, Smithsonian Institution Press, Washington, USA, pp. 37-45.
- Cleland, E.E., Chiariello, N.R., Loarie, S.R., Mooney, H.A. and Field, C.B. (2006) Diverse responses of phenology to global changes in a grassland ecosystem. *Proceedings of the National Academy of Sciences* 103, 13740-13744.
- Colless, D.H. and McAlpine, D.K. (1991) Diptera. In CSIRO, *The Insects of Australia. A Textbook for Students and Research Workers*. 2nd Edn, Melbourne University Press, Carlton, pp. 717-786.
- Common, I.F.B. (1954) The Australian armyworms of the genus *Persectania* (Lepidoptera: Noctuidae). *Australian Journal of Zoology* 2, 86-99.
- Common, I.F.B. (1990) *Moths of Australia*. Melbourne University Press, Carlton.
- Connor, H.E., Edgar, E. and Bourdôt, G.W. (1993) Ecology and distribution of naturalised species of *Stipa* in New Zealand. *New Zealand Journal of Agricultural Research* 36, 301-307.
- Cook, G.D. and Dias, L. (2006) It was no accident: deliberate plant introductions by Australian government agencies during the 20th century. *Australian Journal of Botany* 54, 601-625.
- Cook, T. (1999) Chilean needle grass: is it much different to other perennial grass weeds? *10th New South Wales Biennial Noxious Weeds Conference - Ballina 1999*, pp. 91-97.
- Cooper, M. (2009) *Report on ACT Lowland Native Grassland Investigation*. Commissioner for Sustainability and Environment, Canberra.
- Coupar, P. and Coupar, M. (1992) *Flying Colours. Common Caterpillars, Butterflies and Moths of South-eastern Australia*. New South Wales University Press, Kensington.
- Coutts, P.J.F. (1982) Prehistory. In J.S. Duncan (Ed.) *Atlas of Victoria*. Victorian Government Printing Office, Melbourne, pp. 67-73.
- Coutts-Smith, A. and Downey, P. (2006) Impact of weeds on threatened biodiversity in New South Wales. *CRC for Australian Weed Management Technical Series* No. 11, 100 pp.
- Cox, G.W. (2004) *Alien Species and Evolution. The Evolutionary Ecology of Exotic Plants, Animals, Microbes and Interacting Native Species*. Island Press, Washington, USA.
- Craigie, V. (1993) *Laverton North Grassland Reserve Draft Management Plan*. Melbourne Region, Department of Conservation and Natural Resources, Melbourne, 58 pp.

- Craigie, V. and Hocking, C. (Eds.) (1999) *Down to Grass Roots. Proceedings of a Conference on Management of Grassy Ecosystems*, 9 & 10 July 1998. Victoria University, St Albans, Vic.
- Cranston, P.S. and Trueman, J.W.H. (1997) "Indicator" taxa in invertebrate biodiversity assessment. *Memoirs of the Museum of Victoria* 56(2), 267-274.
- Crisp, P.N., Dickinson, K.J.M. and Gibbs, G.W. (1998) Does native invertebrate diversity reflect native plant diversity? A case study from New Zealand and implications for conservation. *Biological Conservation* 83, 209-220.
- CSIRO and Australian Bureau of Meteorology (2007a) *Climate Change in Australia: Technical Report 2007*. CSIRO, 140 pp.
- CSIRO and Australian Bureau of Meteorology (2007b) *Climate Change in Australia. Observed Changes and Projections*. CSIRO and Bureau of Meteorology, 8 pp.
- Daniell, A. (1994) The impact of terrestrial molluscs on native vegetation in south-eastern Australia. *Victorian Naturalist* 111, 218-222.
- D'Antonio, C.M., Dudley, T.L. and Mack, M. (1999). Disturbance and biological invasions: direct effects and feedbacks. In L.R. Walter (Ed.), *Ecosystems of the World 16. Ecosystems of Disturbed Ground*. Elsevier, Amsterdam, pp. 413-52.
- D'Antonio, C.M. and Vitousek, P.M. (1992) Biological invasions by exotic grasses, the grass/fire cycle and global change. *Annual Review of Ecology and Systematics* 23, 63-87.
- Dare, R. and Hocking, C. (1997) Control of Chilean needle-grass using selected herbicides and replacement with kangaroo grass. Paper presented to the Research Advisory Group of the Victorian Grassy Ecosystem Group Seminar, 11 October.
- Davidse, G. (1986) Fruit dispersal in the Poaceae. In T.S. Soderstrom, K.W. Hilu, C.S. Campbell and M.E. Barkworth (Eds.), *Grass Systematics and Evolution*. Smithsonian Institution Press, Washington, USA, pp. 143-155.
- Davies, R. J.-P. (1997). *Weed Management in Temperate Native Grasslands and Box Grassy Woodlands in South Australia*. Botanic Gardens of Adelaide/Environment Australia, Athelstone, South Australia.
- Davis, M.A., Grime, J.P. and Thompson, K. (2000) Fluctuating resources in plant communities: a general theory of invasibility. *Journal of Ecology* 88, 528-534.
- Department of Sustainability and Environment (2007) Corangamite Water Skink (*Eulamprus tympanum marnieae*). Department of Sustainability and Environment, East Melbourne, 2 pp.

- DEWHA (Department of Environment, Heritage, Water and the Arts) (2008) Commonwealth listing device on Natural Temperate Grassland of the Victorian Volcanic Plain. <http://www.environment.gov.au/cgi-bin/sprat/public/publicshowcommunity.pl?id=42&status=Critically%20Endangered>.
- DNRE (Department of Natural Resources and Environment) (1997) *Victoria's Biodiversity-Directions in Management*. Department of Natural Resources and Environment, Melbourne, 149 pp.
- Dorrough, J., Ash, J. and McIntyre, S. (2004) Plant responses to livestock grazing in an Australian temperate grassland. *Ecography* 27, 798-810.
- Downey, P.O. and Coutts-Smith, A.J. (2006) Biodiversity threatened by weeds in New South Wales. In C. Preston, J.H. Watts and N.D. Crossman (Eds.), *15th Australian Weeds Conference Papers and Proceedings*. Weed Management Society of South Australia Inc., Adelaide, pp. 803-806.
- Driscoll, D.A. (1994) Invertebrates of lowland native grasslands in the Australian Capital Territory: conservation and research strategies for a recovery plan. *ACT Parks and Conservation Service Technical Report* 9, v + 41 pp.
- Dukes, J.S. (2002) Species composition and diversity affect grassland susceptibility and response to invasion. *Ecological Applications* 12(2), 602-617.
- Duncan, M.R. (1993) Chilean needle grass. *New South Wales Agriculture and Fisheries Agnote* 2/082, 1st Edn, 4 pp.
- Dunin, F. (1999) Water use by Kangaroo Grass *Themeda triandra* communities. *Native Grass South Australia* 1(3), 49, 59.
- Dunin, F.X., Aston, A.R. and Reyenga, W. (1978) Evaporation from a *Themeda* grassland II. Resistance model of plant evaporation. *Journal of Applied Ecology* 15, 847-858
- Dunin, F.X. and Reyenga, W. (1978) Evaporation from a *Themeda* grassland I. Controls imposed on the process in a sub-humid environment. *Journal of Applied Ecology* 15, 317-325.
- Dunstan, P.K. and Johnson, C.R. (2006) Linking richness, community variability, and invasion resistance with patch size. *Ecology* 87(11), 2842-2850.
- Dyksterhuis, E.J. (1945) Axillary cleistogenes in *Stipa leucotricha* and their role in nature. *Ecology* 26(2), 195-199.
- Eddy, D., Mallinson, D., Rehwinkel, R. and Sharp, S. (1998) *Grassland Flora. A Field Guide for the Southern Tablelands (NSW and ACT)*. World Wide Fund for Nature Australia, Australian National Botanic Gardens, NSW National Parks and Wildlife Service, NSW

Department of Land and Water Conservation, Natural Heritage Trust, Snowy Mountains Hydro-Electric Authority and Environment ACT, Canberra.

Edgar, E., O'Brien, M.-A. and Connor, H.E. (1991) Checklist of pooid grasses naturalised in New Zealand. 1. Tribes Nardeae, Stipeae, Hainardieae, Meliceae, and Aveneae. *New Zealand Journal of Botany* 29, 101-116.

Edward, D.H.D. (1986) Chironomidae (Diptera) of Australia. In P. De Deckker and W.D. Williams (Eds.), *Limnology in Australia*. CSIRO/Dr. W. Junk Publishers, East Melbourne and Dordrecht, The Netherlands, pp. 159-173.

Edwards, E.D. (1994) Survey of lowland grassland sites in A.C.T. for the Golden Sun Moth, *Synemon plana*. Report to the Wildlife Research Unit, ACT Parks and Conservation Service, 42 pp.

Edwards, E.D. (2002) Lepidoptera (Moths and Butterflies). In K. Green (Ed.), *Biodiversity in the Snowy Mountains*. Australian Institute of Alpine Studies, Jindabyne, NSW, pp. 58-72.

Edwards, E.D. and Fairey, K.D. (1996) Anthelidae. In E.S. Nielsen, E.D. Edwards and T.V. Rangsi (Eds.), *Checklist of the Lepidoptera of Australia*. CSIRO, Canberra, pp. 258-260.

Elzinga, C.L., Salzer, D.W., Willoughby, J.W., Gibbs, J.P. (2001) *Monitoring Plant and Animal Populations*. Blackwell Science, London.

Emergency Management Australia (2006) Canberra Region, ACT: bushfires. <http://www.ema.gov.au/ema/emadisasters.nsf/83edbd0553620d8cca256d09001fc8fd/> [Accessed 12 March 2010]

Ens, E.-J. (2002a) Chilean Needle Grass (*Nassella neesiana*) on the Cumberland Plain: exposé of distribution and impacts on invertebrates. B.Sc. Honours Thesis, School of Geography, University of New South Wales, 102 pp.

Ens, E.-J. (2002b) Chilean Needle Grass (*Nassella neesiana*) on the Cumberland Plain: exposé of distribution and impacts on invertebrates. Honours Thesis, School of Geography, University of New South Wales, Thesis abstract, *Bulletin of the Ecological Society of Australia* 32(4), 33.

Ens, E.-J. (2005) *Nassella neesiana*. Global Invasive Species Database, Invasive Species Specialist Group, International Union for the Conservation of Nature. <http://www.issg.org/database/species/ecology.asp?si=458andfr=1andsts=> [Accessed 23 October 2006]

Erakovic, L. (2005) Improved control of Chilean needle grass spread through novel slasher design. M.Eng. thesis, School of Aerospace, Mechanical and Manufacturing Engineering, RMIT University, Melbourne.

- Erakovic, L., Subic, A., Abu-Hijleh, B. and McLaren, D. (2003) Simulation models of Chilean needle-grass spread during slashing. *Under Control - Pest Plant and Animal Management News* No. 23, 8-9.
- Erakovic, L., Subic, A. and McLaren, D. (2007) Chilean needle grass: slasher cover for reducing Chilean needle grass spread. Department of Primary Industries (Victoria) *Agriculture Notes* AG1312, 2 pp.
- Eschen, R., Mortimer, S.R., Lawson, C.S., Edwards, A.R., Brook, A.J., Igual, J.M., Hedlund, K. and Schaffner, U. (2007) Carbon addition alters vegetation composition on ex-arable fields. *Journal of Applied Ecology* 44, 95-104.
- Eschtruth, A.K. and Battles, J.J. (2009) Assessing the relative importance of disturbance, herbivory, diversity, and propagule pressure in exotic plant invasion. *Ecological Monographs* 79, 265-280.
- Evans, R.A. and Young, J.A. (1972) Competition within the grass community. In V.B. Youngner and C.M. McKell (Eds.), *The Biology and Utilization of Grasses*. Academic Press, New York, pp. 230-246.
- Everson, C.S., Everson, T.M. and Tainton, N.M. (1988) Effects of intensity and height of shading on the tiller initiation of six grass species from the highland sourveld of Natal. *South African Journal of Botany* 54, 315-318.
- Faithfull, I., Hocking, C. and McLaren, D.A. (2008) A preliminary assessment of the composition and cover of vascular plants associated with patches of *Nassella neesiana* (Trin. & Rupr.) Barkworth (Poaceae) in Australian native grassland. In R.D. van Klinken, V.A. Osten, F.D. Panetta and J.C. Scanlan (Eds.), *Proceedings of the 16th Australian Weeds Conference*. Queensland Weeds Society, Brisbane, pp. 206-208.
- Farrow, R.A. (1974) The larva of *Laius villosus* (Coleoptera: Melyridae) feeding on the egg pods of the Australian plague locust, *Chortoicetes terminifera* (Orthoptera: Acrididae). *Journal of the Australian Entomological Society* 13, 185-188.
- Farrow, R.A. (1999) Diversity and abundance of canopy-living insects in natural grassland remnants of high conservation value in the ACT: effects of site characteristics and management. Tilembeya Consultants, Queanbeyan, Report to Environment ACT, December, 30 pp.
- Farrow, R.A. (2006) Diversity and abundance of canopy-living insects in natural grassland remnants of high conservation value in the ACT: II interannual variations 1999-2002. Tilembeya Consultants, Queanbeyan, Report to Environment ACT, April, 15 pp.
- Fenner, M. (1987) Seedlings. *New Phytologist* 106 (Suppl.), 35-47.

- FFG (Flora and Fauna Guarantee) SAC (Scientific Advisory Committee) (1996) Final recommendation on a nomination for listing. The invasion of native vegetation by environmental weeds. Nomination No. 360, Item No. T9610, 12 March, 4 pp.
- Field, R.P., McLaren, D.A., Baxter, J.T. and Hill, S.R. (1993) Remote sensing of pasture weeds and the impact of their biological control agents. In E.S. Delfosse (Ed.), *Pests of Pastures. Weed, Invertebrate and Disease Pests of Australian Sheep Pastures*. CSIRO Information Services, Melbourne, pp. 316-320.
- Flannery, T. F. (1994) *The Future Eaters. An Ecological History of the Australasian Lands and People*. Reed Books, Chatswood, NSW.
- Font, J., Viñas, X. and Izquierdo, C. (2001) *Nassella neesiana* (Trin. and Rupr.) Barkworth and *N. mucronata* (Kunth) R.W. Pohl in Barkworth dues graminies al•lòctones noves a Catalunya. *Butlletí de la Institució Catalana D'Història Natural* (Barcelona) 69: 67- 69.
- Foody, G.M. (2002) Status of land cover classification accuracy assessment. *Remote Sensing of the Environment* 80, 185-201.
- Fox, M.D. and Fox, B.J. (1986) The susceptibility of natural communities to invasion. In R.H. Groves and J.J. Burdon (Eds.), *Ecology of Biological Invasions: An Australian Perspective*. Australian Academy of Science, Canberra, pp. 57-66.
- Frawley, K., Piening, B., Kukolic, K. and Sharp, S. (1995) *Themeda triandra* grassland at the National Museum site, Yarramundi Reach. In S. Sharp and R. Rehwinkel (Eds.), *Management of Relict Lowland Grasslands. Proceedings of a Workshop and Public Seminar, September 24 and 25 1993*. ACT Parks and Conservation Service Conservation Series No. 8, pp. 146-149.
- Frederick, J. (2002) *The North Central Chilean Needle Grass Project 1998-2002*. Department of Primary Industries, Victoria, 29 pp.
- Freeman, P. (1961) The Chironomidae (Diptera) of Australia. *Australian Journal of Zoology* 9, 611-737.
- French, C. (1911) *A Handbook of the Destructive Insects of Victoria with Notes on the Methods of Prevention and Extirpation. Part V*. Department of Agriculture, Melbourne.
- Froggatt, W.W. (1910) Insects which damage saltbush. *Agricultural Gazette of New South Wales* 21, 465-470.
- Gaertner, M., Den Breeyen, A., Hui, C. and Richardson, D.M. (2009) Impacts of alien plant invasions on species richness in Mediterranean-type ecosystems: a meta-analysis. *Progress in Physical Geography* 33(3), 319-338.

Garden, D.L., Ellis, N.J.S., Rab, M.A., Langford, C.M., Johnston, W.H., Shields, C., Murphy, T., Holmberg, M., Dassanayake, K.B. and Harden, S. (2003) Fertiliser and grazing effects on production and botanical composition of native grasslands in south-east Australia. *Australian Journal of Experimental Agriculture* 43, 843-859.

Gardener, M.R. (1998). The biology of *Nassella neesiana* (Trin. & Rupr.) Barkworth (Chilean needle grass) in pastures on the Northern Tablelands of New South Wales: weed or pasture? PhD thesis, University of New England, Armidale, New South Wales.

Gardener, M.R. and Sindel, B.M. (1998) The biology of *Nassella* and *Achnatherum* species naturalized in Australia and the implications for management on conservation lands. *Plant Protection Quarterly* 13(2), 76-79.

Gardener, M.R., Sindel, B.M. and Whalley, R.D.B. (1999) Chilean needle grass (*Nassella neesiana*) –what we know and where to next? In A.C. Bishop, M. Boersma and C.D. Barnes (Eds.), *12th Australian Weeds Conference Papers and Proceedings*. Tasmanian Weed Society, Devonport, pp. 8-12.

Gardener, M.R., Sindel, B.M., Whalley, R.D.B. and Earl, J.M. (2005) Can *Nassella neesiana*, Chilean Needle Grass, be incorporated into a grazing management system in Australia? In *Proceedings of the Tussock Terminators Research Forum*, Lake Hume Resort, Albury, NSW, 2-3 November 2005. Cooperative Research Centre for Australian Weed Management, National Serrated Tussock Management Group, National Chilean Needle Grass Taskforce, Natural Heritage Trust, Department of Primary Industries Victoria, New South Wales Department of Primary Industries, pp. 2-7.

Gardener, M.R., Whalley, R.D.B. and Sindel, B.M. (1996a) The failure of management technology for reproductively efficient grassy weeds: the Chilean needle grass example. In R.C.H. Shepherd (Ed.), *Proceedings Eleventh Australian Weeds Conference*, Melbourne 30 September - 3 October 1996. Weed Science Society of Victoria, Frankston, pp. 243-246.

Gardener, M.R., Whalley, R.D.B. and Sindel, B.M. (1996b) The usefulness and ecology of Chilean needle grass (*Nassella neesiana*) as a pasture in Argentina. Report to Cooperative Research Centre for Weed Management Systems, the Meat Research Corporation, Weed Society of NSW and the Matheson Landcare Group, October-November, 13 pp.

Gardener, M.R., Whalley, R.D.B. and Sindel, B.M. (2003a) Ecology of *Nassella neesiana*, Chilean needle grass, in pastures on the Northern Tablelands of New South Wales. I. Seed production and dispersal. *Australian Journal of Agricultural Research* 54, 613-619.

Gardener, M.R., Whalley, R.D.B. and Sindel, B.M. (2003b) Ecology of *Nassella neesiana*, Chilean needle grass, in pastures on the Northern Tablelands of New South Wales. II. Seed

- bank dynamics, seed germination, and seedling recruitment. *Australian Journal of Agricultural Research* 54, 621-626.
- Garkaklis, M.J., Bradley, J.S. and Wooller, R.D. (2003) The relationship between animal foraging and nutrient patchiness in south-west Australian woodland soils. *Australian Journal of Soil Research* 41, 665-673.
- Gassó, N., Sol, D., Pino, J., Dana, E.D., Lloret, F., Sanz-Elorza, M., Sobrino, E. and Vilà, M. (2009) Exploring species attributes and site characteristics to assess plant invasions in Spain. *Diversity and Distributions* 15, 50-58.
- Gellatly, J.G. and Forrester, N.W. (1985) Rutherglen bug. *Agfact* AE41, Department of Agriculture New South Wales, 4 pp.
- Germishuizen, G. and Meyer, N.L. (Eds.) (2003) Plants of southern Africa: an annotated checklist. *Strelitzia* 14, National Botanical Institute, Pretoria, South Africa, 1231 pp.
- Ghannoum, O. (2009) C₄ photosynthesis and water stress. *Annals of Botany* 103, 635-644.
- Gibson, L.A. and New, T.R. (2007) Characterising insect diversity on Australia's remnant native grasslands: ants (Hymenoptera: Formicidae) and beetles (Coleoptera) at Craigieburn Grasslands Reserve, Victoria. *Journal of Insect Conservation* 11, 409-413.
- Gill, G.S. and Davidson, R.M. (2000) Weed interference. In B.M. Sindel (Ed.), *Australian Weed Management Systems*. R.G. and F.J. Richardson, Melbourne, pp. 61-80.
- Goodyer, G.J. (1983) Armyworm caterpillars. *Agfact* AE15, Department of Agriculture New South Wales, 6 pp.
- Görgens, A.H.W. and van Wilgen, B.W. (2004) Invasive alien plants and water resources in South Africa: current understanding, predictive ability and research challenges. *South African Journal of Science* 100, 27-33.
- Gott, B. (1983) Murnong - *Microseris scapigera*: a study of a staple food of Victorian Aborigines. *Australian Aboriginal Studies* 1983(2), 2-18.
- Gott, B. (1993) Use of Victorian plants by Koories. . In D.B. Foreman and N.G. Walsh (Eds.), *Flora of Victoria Volume 1. Introduction*. Inkata Press, pp. 195-211.
- Gott, B. (1999) Koorie use and management of the Plains. In R.N. Jones (Ed.), *The Great Plains Crash. Proceedings of a Conference on the Grasslands and Grassy Woodlands of Victoria*. Victorian Institute of Technology October 2nd and 3rd, 1992, Indigenous Flora and Fauna Association and Victorian National Parks Association, pp. 41-45.
- Gott, B. (2005) Aboriginal fire management in south-eastern Australia: aims and frequency. *Journal of Biogeography* 32, 1203-1208.

- Grech, C. (2007) Grazing management for the long term utilisation and control of Chilean needle grass (*Nassella neesiana*). PhD thesis, School of Rural Science and Agriculture, University of New England, Armidale, NSW.
- Grech, C., McLaren, D., Chapman, D. and Sindel, B.M. (2005) Chilean needle grass (*Nassella neesiana*) – integrated grazing for success. In *Proceedings of the Tussock Terminators Research Forum*, Lake Hume Resort, Albury, NSW, 2-3 November 2005. Cooperative Research Centre for Australian Weed Management, National Serrated Tussock Management Group, National Chilean Needle Grass Taskforce, Natural Heritage Trust, Department of Primary Industries Victoria, New South Wales Department of Primary Industries, pp. 11-14.
- Green, K. and Osborne, W. (1994) *Wildlife of the Australian Snow-Country*. Reed Books, Chatswood, NSW.
- Greenslade, P. (1994) A study of the use of indicator groups in assessing the conservation value of native grassland sites in the ACT and NSW. Project Report to the Australian Capital Territory Parks and Conservation Service, May, 27 pp.
- Greenslade, P.J.M. (1979) *A Guide to the Ants of South Australia*. South Australian Museum, Adelaide.
- Grice, A.C. (2004a) Weeds and the monitoring of biodiversity in Australian rangelands. *Austral Ecology* 19, 51-58.
- Grice, A.C. (2004b) Perennial grass weeds in Australia: impacts, conflicts of interest and management issues. *Plant Protection Quarterly* 19(2), 42-47.
- Grice, A.C. (2006) The impacts of invasive plant species on the biodiversity of Australian rangelands. *The Rangeland Journal* 28, 27-35.
- Grice, A.C., Field, A.R. and McFadyen, R.E.C. (2004) Quantifying the effects of weeds on biodiversity: beyond Blind Freddy's test. In B.M. Sindel and S.B. Johnson (Eds.), *14th Australian Weeds Conference Papers and Proceedings*. Weed Society of New South Wales, Sydney, pp. 464-468.
- Griffen, G.F., Stafford Smith, D.M., Morton, S.R., Allan, G.E., Masters, K.A. and Preece, N. (1989) Status and implications of the invasion of tamarisk (*Tamarix aphylla*) on the Finke River, Northern Territory, Australia. *Journal of Environmental Management* 29, 297-315.
- Griffin, T.T. and Bull, C.M. (1995) Interactions between introduced and native millipede species in South Australia. *Australian Journal of Zoology* 43, 129-140.
- Gross, G.F. (1975) *Plant-feeding and Other Bugs (Hemiptera) of South Australia. Heteroptera – Part I*. South Australian Government, Adelaide.

- Groves, R.H. (1965) Growth of *Themeda australis* tussock grassland at St. Albans, Victoria. *Australian Journal of Botany* 13, 291-302.
- Groves, R.H. (1975) Growth and development of five populations of *Themeda australis* in response to temperature. *Australian Journal of Botany* 23, 951-963.
- Groves, R.H. (2002) The impacts of alien plants in Australia. In D. Pimentel (Ed.), *Biological Invasion. Economic and Environmental Costs of Alien Plant, Animal and Microbe Species*. CRC Press, Boca Raton, pp. 11-23.
- Groves, R.H. (2004) CAWS Oration. Weed management at the border, at the garden fence and in the bush. In B.M. Sindel and S.B. Johnson (Eds.), *14th Australian Weeds Conference Papers and Proceedings*. Weed Society of New South Wales, Sydney, pp. 1-9.
- Groves, R.H., Austin, M.P. and Kaye, P.E. (2003) Competition between Australian native and introduced grasses along a nutrient gradient. *Austral Ecology* 28, 491-498.
- Groves, R.H., Keraitis, K., Moore, C.W.E. and Langer, H.J. (1973) Relative growth of *Themeda australis* and *Poa labillardieri* in pots in response to phosphorus and nitrogen. *Australian Journal of Botany* 21, 1-11.
- Groves, R.H. and Whalley, R.D.B. (2002) Grass and grassland ecology in Australia. In K. Mallett and A.E. Orchard (Eds.), *Flora of Australia Volume 43. Poaceae 1. Introduction and Atlas*. Australian Biological Resources Survey/CSIRO, Melbourne, pp. 157-182.
- Hadden, S. (1995) Distribution, status and habitat requirements of the Striped Legless Lizard *Delma impar* (Fischer). Flora and Fauna Branch, Department of Conservation and Natural Resources, Final Report to the Australian Nature Conservation Agency, April.
- Hadden, S. (1997) The composition and abundance of the Coleoptera, Araneida and Formicidae fauna of two long-grazed native grassland remnants of Victoria and the effects of cessation of grazing. Paper presented to the Research Advisory Group of the Victorian Grassy Ecosystem Group Seminar, 11 October.
- Hadden, S.A. (1998) Composition and ecology of the flora and fauna of remnant native grasslands of the Western Basalt Plains and Northern Plains of Victoria - implications for management on private property. PhD thesis, School of Science, University of Ballarat, Victoria.
- Hadden, S.A. (2002) The mammal fauna of remnant native grasslands of the Western Basalt Plain and Northern Plains of Victoria. *Victorian Naturalist* 119(1), 14-20.
- Hadden, S.A. and Westbrooke, M.E. (1999) A comparison of the Coleoptera, Araneae and Formicidae fauna in a grazed native grassland remnant of Victoria. In: W. Ponder and D.

- Lunney (Eds.), *The Other 99%. The Conservation and Biodiversity of Invertebrates. Transactions of the Royal Zoological Society of New South Wales*, Mosman, pp. 101-106.
- Harden, G.J. (Ed.) (1992) *Flora of New South Wales. Volume 3.* (1st Edn), New South Wales University Press, Kensington.
- Harden, G.J. (Ed.) (1993) *Flora of New South Wales. Volume 4.* (1st Edn), University of New South Wales Press, Sydney.
- Harden, G.J. (Ed.) (2000) *Flora of New South Wales. Volume 1.* (Revised Edn), University of New South Wales Press, Sydney.
- Harden, G.J. (Ed.) (2002) *Flora of New South Wales. Volume 2.* (Revised Edn), University of New South Wales Press, Sydney.
- Hartley, M.J. (1994) Dalapon resistant individuals in a susceptible population of Chilean needle grass. *Proceedings of the 47th New Zealand Plant Protection Conference*, pp. 75-79.
- Hattersley, P.W. (1986) Variations in photosynthetic pathway. In T.S. Soderstrom, K.W. Hilu, C.S. Campbell and M.E. Barkworth (Eds.), *Grass Systematics and Evolution*. Smithsonian Institution Press, Washington, USA, pp. 49-64.
- Hautier, Y. Niklaus, P.A. and Hector, A. (2009) Competition for light causes plant biodiversity loss after eutrophication. *Science* 324, 636-638.
- Hayes, K.R. and Barry, S.C. (2008) Are there any consistent predictors of invasion success? *Biological Invasions* 10, 483-506.
- Hayward, I.M. and Druce, G.C. (1919) *The Adventive Flora of Tweedside*. T. Buncle and Co., Arbroath, Scotland.
- Hely, P.C. (1958) Insect notes. Insect pests of the rice crop. *Agricultural Gazette of New South Wales* 69, 29-32.
- Hely, P.C., Pasfield, G. and Gellatley, J.G. (1982) *Insect Pests of Fruit and Vegetables in NSW*. Inkata Press, Melbourne.
- Henderson, L. (2001) *Alien Weeds and Invasive Plants*. Plant Protection Research Institute Handbook No. 12, Agricultural Research Council, South Africa.
- Henderson, M. (1999) How do urban grasslands respond to fire and slashing? Effects on gaps and weediness. In V. Craigie and C. Hocking (Eds.), *Down to Grass Roots. Proceedings of a Confine on Management of Grassy Ecosystems*, 9 and 10 July 1998. Victoria University, St Albans, Vic., pp. 38-43.
- Herbold, B. and Moyle, P.B. (1986) Introduced species and vacant niches. *American Naturalist* 128(5), 751-760.

- Hierro, J.L., Villarreal, D., Eren, Ö., Graham, J.M. and Callaway, R.M. (2006) Disturbance facilitates invasion: the effects are stronger abroad than at home. *American Naturalist* 168, 144-156.
- Hills, A. and Boekel, R. (1996) Large-fruit Groundsel *Senecio macrocarpus*. *Flora and Fauna Guarantee Action Statement* No. 68, Department of Natural Resources and Environment, East Melbourne, 10 pp.
- Hitchcock, A.S. and Chase, A. (1971) *Manual of the Grasses of the United States*. 2nd (revised) Edn, Dover Publications Inc., New York.
- Hobbs, R.J. (1989) The nature and effects of disturbance relative to invasions. In J.A. Drake, H.A. Mooney, F. di Castri, R.H. Groves, F.J. Kruger, M. Rejmanek and M. Williamson (Eds.), *Biological Invasions: a Global Perspective*. Scientific Committee on Problems of the Environment (SCOPE) 37, John Wiley and Sons, Chichester, UK, pp. 389-405.
- Hobbs, R.J. (1991) Disturbance as a precursor to weed invasion in native vegetation. *Plant Protection Quarterly* 6(3), 99-104.
- Hobbs, R.J. and Huenneke, L.F. (1992) Disturbance, diversity, and invasion: implications for conservation. *Conservation Biology* 6, 324-337.
- Hocking, C. (1998) Land management of *Nassella* areas - implications for conservation. *Plant Protection Quarterly* 13(2), 87-91.
- Hocking, C. (2002) Impacts and control of exotic stipoid grasses in Australia- what have we learnt since 1998? *Plant Protection Quarterly* 17(3), 83-86.
- Hocking, C. (2005a) People as the forgotten ecological element of lowland grassland ecology – new perspectives on values and management. *Plant Protection Quarterly* 20(1), 9-11.
- Hocking, C. (2005b) Chilean needle grass – potential impacts and control. In *Proceedings of the Tussock Terminators Research Forum*, Lake Hume Resort, Albury, NSW, 2-3 November 2005, Cooperative Research Centre for Australian Weed Management, National Serrated Tussock Management Group, National Chilean Needle Grass Taskforce, Natural Heritage Trust, Department of Primary Industries Victoria, New South Wales Department of Primary Industries, pp. 27-31.
- Hocking, C. (2007) Grassy weeds as fiery competitors or phantom companions? – lessons learnt from conservation and land management. *Proceedings Third Victorian Weed Conference, 'Earth Wind Fire Water and Weeds'*, Bendigo, Victoria, 3-4 October 2007. Weed Society of Victoria, pp. 55-57.

- Hocking, C. (2011) *National Guidelines for Minimising Waterway Infestations of Chilean Needle Grass - Filling a Major Gap in Knowledge and Advice*. Final Report to Caring for Our Country Project OG083182, Australian Department of Agriculture, Fisheries and Forestry, Canberra.
- Hocking, C. and Mason, B. (2001) Ecology of repair and management of native grasses. *Stipa Native Grass Association Second National Conference: Our Valuable Native Grasslands, Better Pastures Naturally*. Dookie College, University of Melbourne, 27-28 November.
- Holland, K.D., McDonnell, M.J. and Williams, N.G. (2007) Abundance, species richness and feeding preferences of introduced molluscs in native grasslands of Victoria, Australia. *Austral Ecology* 32, 626-634.
- Honaine, M.F., Zucol, A.F. and Osterrieth, M.L. (2006) Phytolith assemblages and systematic associations in grassland species of the south-eastern Pampean Plains, Argentina. *Annals of Botany* 98, 1155-1165.
- Hope, G.S. (1994) Quaternary vegetation. In R.S. Hill (Ed.), *History of the Australian Vegetation: Cretaceous to Recent*. Cambridge University Press, Cambridge, UK, pp. 368-389.
- Horne, P.A., Edward, C.L. and Kourmouzis, T. (2000) *Dicranolaius bellulus* (Guérin-Méneville) (Coleoptera: Melyridae: Malachiinae), a possible biological control agent of lepidopterous pests in inland Australia. *Australian Journal of Entomology* 39, 47-48.
- Howden, A.T. (1986) Notes on the biology of adult and immature Amycterinae (Coleoptera, Curculionidae). *Proceedings of the Linnaean Society of New South Wales* 109(2), 91-105.
- Hoyle, F.C., Murphy, D.V. and Brookes, P.C. (2008) Microbial response to the addition of glucose in low-fertility soils. *Biology and Fertility of Soils* 44, 571-579.
- Huenneke, L.F., Hamburg, S.P., Koide, R., Mooney, H.A. and Vitousek, P.M. (1990) Effects of soil resources on plant invasion and community structure in Californian serpentine grassland. *Ecology* 71(2), 478-491.
- Humphries, R.K. and Webster, A. (1992) Button Wrinklewort *Rutidosia leptorrhynchoides*. *Flora and Fauna Guarantee Action Statement* No. 28, Department of Conservation and Environment, East Melbourne, 6 pp.
- Humphries, R.K. and Webster, A. (2003) Button Wrinklewort *Rutidosia leptorrhynchoides*. *Flora and Fauna Guarantee Action Statement* No. 28, Department of Sustainability and Environment, East Melbourne, 6 pp.

- Hurrell, G.A., Bourdôt, G.W. and Hunter, R.M. (1994) Effect of three soil fumigants on the viability of buried seeds of Chilean needle grass (*Stipa neesiana*). *Proceedings of the 47th New Zealand Plant Protection Conference*, pp. 80-83.
- Hussey, B.M.J., Keighery, G.J., Cousens, R.D., Dodd, J. and Lloyd, S.G. (1997) *Western Weeds. A Guide to the Weeds of Western Australia*. The Plant Protection Society of Western Australia, Victoria Park.
- Iaconis, L. (2003) Chilean needle-grass - why is it a Weed of National Significance? *Under Control - Pest Plant and Animal Management News* No. 23, pp. 6-7.
- ICT International Pty Ltd (no date). *MP 406 Moisture Probe Operation Manual*. ICT International Pty Ltd, Armidale, New South Wales.
- Jacobs, S.W.L., Everett, J., Connor, H.E. and Edgar, E. (1989) Stipoid grasses in New Zealand. *New Zealand Journal of Botany* 27, 569-582.
- Jessop, J., Dashorst, G.R.M. and James, F.M. (2006) *Grasses of South Australia. An Illustrated Guide to the Native and Naturalised Species*. Wakefield Press, Kent Town, South Australia.
- Johnson, C.N. (2009) Ecological consequences of Late Quaternary extinctions of megafauna. *Proceedings of the Royal Society B* 276, 2509-2519.
- Johnson, K.A. and Jarman, P.J. (1975) Records of wildlife as pests in the Armidale district, 1812-1975. In *Proceedings of a Workshop on Agriculture, Forestry and Wildlife: Conflict or Coexistence?* held at the University of New England, 17-19 August 1975. University of New England, Armidale, pp. 26-32.
- Johnston, W.H., Clifton, C.A., Cole, I.A., Koen, T.B., Mitchell, M.L. and Waterhouse, D.B. (1999) Low input grasses useful in limiting environments (LIGULE). *Australian Journal of Agricultural Research* 50, 29-53.
- Johnston, W.H., Garden, D.L., Rancic, A., Koen, T.B., Dassanayake, K.B., Langford, C.M., Ellis, N.J.S., Rab, M.A., Tuteja, N.K., Mitchell, M., Wadsworth, J., Dight, D., Holbrook, K., LeLievre, R. and McGeoch, S.M. (2003) The impacts of pasture development and grazing on water-yielding catchments in the Murray-Darling Basin in south-eastern Australia. *Australian Journal of Experimental Agriculture* 43, 817-841.
- Jolivet, P. and Hawkeswood, T.J. (1995) *Host-plants of Chrysomelidae of the World*. Backhuys Publishers, Leiden, The Netherlands.
- Jones, R.N. (1999) Natural and human influences on the distribution and extent of Victorian lowland grasslands. In R.N. Jones (Ed.), *The Great Plains Crash. Proceedings of a Conference on the Grasslands and Grassy Woodlands of Victoria*. Victoria Institute of

Technology, October 2nd and 3rd, 1992. Indigenous Flora and Fauna Association and Victorian National Parks Association, pp. 19-39.

Keane, R.M. and Crawley, M.J. (2002) Exotic plant invasions and the enemy release hypothesis. *Trends in Ecology and Evolution* 17(4), 164-170.

Keith, D. (2004) *Ocean Shores to Desert Dunes. The Native Vegetation of New South Wales and the ACT*. Department of Environment and Conservation (NSW), Hurstville.

Kershaw, P., Quilty, P.G., David, B., Van Huet, S. and McMinn, A. (2000) Palaeobiogeography of the Quaternary of Australasia. In J.A. Wright, G.C. Young, J.A. Talent and J.R. Laurie (Eds.), *Palaeobiogeography of Australasian Faunas and Floras*. Memoir 23 of the Association of Australian Palaeontologists, Canberra, pp. 471-515.

Kershaw, R.C. (1991) *Snails and Slugs Introduced to or Pests in Tasmania*. Queen Victoria Museum and Art Gallery, Launceston.

Kirkpatrick, J. (1995) The status of lowland temperate grasslands in south-eastern Australia. In S. Sharp and R. Rehwinkel (Eds.), *Management of Relict Lowland Grasslands*. Proceedings of a Workshop and Public Seminar September 24 and 25, 1993. *ACT Parks and Conservation Service Conservation Series* No. 8, pp. 75-79.

Kirkpatrick, J., McDougall, K. and Hyde, M. (1995) *Australia's Most Threatened Ecosystem. The Southeastern Lowland Native Grasslands*. Surrey Beatty and Sons and the World Wide Fund for Nature Australia, Chipping Norton, NSW.

Kon, K.F. and Blacklow, W.M. (1995) *Bromus diandrus* Roth and *B. rigidus* Roth. In R.H. Groves, R.C.H. Shepherd and R.G. Richardson (Eds.), *The Biology of Australian Weeds Volume 1*. R.G. and F.J. Richardson, Melbourne, pp. 13-27.

Knapp, A.K. and Seastedt, T.R. (1986) Detritus accumulation limits productivity in tall-grass prairies. *BioScience* 36, 662-668.

Körner, C., Stöcklin, J., Reuther-Thiébaud, L. and Pelaez-Riedl, S. (2008) Small differences in arrival time influence composition and productivity of plant communities. *New Phytologist* 177, 698-705.

Kukolic, K. (1994) *Survey for the Striped Legless Lizard Delma impar during 1993 at the National Museum of Australia site, Yarramundi Reach, ACT. Report to the National Capital Planning Authority*. Wildlife Research Unit, ACT Parks and Conservation Service, Tuggeranong, ACT, December, v + 28 pp.

Lauenroth, W.K. and Aguilera, M.O. (1998) Plant-plant interactions in grasses and grasslands. In G.P. Cheplick (Ed.), *Population Biology of Grasses*. Cambridge University Press, Cambridge, U.K., pp. 209-230.

- Lawton, J.H. and Schroder, D. (1977) Effects of plant type, size of geographical range and taxonomic isolation on number of insect species associated with British plants. *Nature* 265, 137-140.
- Leeper, G.W. (1964) *Introduction to Soil Science*. Melbourne University Press, Carlton.
- Leigh, J.H. and Mulham, W.E. (1965) *Pastoral Plants of the Riverine Plain*. The Jacaranda Press, Brisbane.
- LeJeune, K.D. and Seastedt, T.R. (2001) *Centaurea* species: the forb that won the west. *Conservation Biology* 15(6), 1568-1574.
- Lemerle, D. and Murphy, C.E. (2000) Cultural management methods. In B.M. Sindel (Ed.), *Australian Weed Management Systems*. R.G. and F.J. Richardson, Melbourne, pp. 123-138.
- Lenz, T.I., Moyle-Croft, J.L. and Facelli, J.M. (2003) Direct and indirect effects of exotic annual grasses on species composition of a South Australian grassland. *Austral Ecology* 28, 23-32.
- Levin, D.A. (2006) Ancient dispersals, propagule pressure, and species selection in flowering plants. *Systematic Botany* 31(3), 443-448.
- Levine, J.M., Adler, P.B. and Yelenik, S.G. (2004) A meta-analysis of biotic resistance to exotic plant invasions. *Ecology Letters* 7, 975-989.
- Levine, J.M., Vilà, M., D'Antonio, C.M., Dukes, J.S., Grigulis, K. and Lavorel, S. (2003) Mechanisms underlying the impacts of exotic plant invasions. *Proceedings of the Royal Society of London Series B* 270, 775-781.
- Lewis, T., Clarke, P.J., Reid, N. and Whalley, R.D.B. (2008) Perennial grassland dynamics on fertile plains: Is coexistence mediated by disturbance? *Austral Ecology* 33, 128-139.
- Liebert, A. (1996) Chilean Needle Grass: *Stipa neesiana*. Assessment Report to the North Central CALP Region. Department of Conservation and Natural Resources North Central Catchment and Land Protection Region, unpublished report, February, 39 pp.
- Lock, J.M. and Millburn, T.R. (1970) The seed biology of *Themeda triandra* Forsk. in relation to fire. In E. Duffey and A.S. Watt (Eds.), *The Scientific Management of Animal and Plant Communities for Conservation*. Blackwell Scientific Publications, Oxford, UK, pp. 337-349.
- Lockwood, J.L., Cassey, P. and Blackburn, T.M. (2009) The more you introduce the more you get: the role of colonization pressure and propagule pressure in invasion ecology. *Diversity and Distributions* 15, 904-910.
- Lockwood, J.L., Hoopes, M.F. and Marchetti, M.P. (2007) *Invasion Ecology*. Blackwell Publishing, Malden, Massachusetts, USA.

- Lonsdale, W.M. (1999) Global patterns of plant invasions and the concept of invasibility. *Ecology* 80(5), 1522-1536.
- Low, T. (2002) *The New Nature. Winners and Losers in Wild Australia*. Viking/Penguin Group, Camberwell, Victoria.
- Lowe, A.D. (1954) A note on the death of nassella tussock *Nassella trichotoma* (Nees.) Hack., due to the deprecations of *Chlorochiton* sp. *New Zealand Entomologist* 1(4), 15-16.
- Lunt, I.D. (1990a) A floristic survey of the Derrimut Grassland Reserve, Melbourne, Victoria. *Proceedings of the Royal Society of Victoria* 102(1), 41-52.
- Lunt, I.D. (1990b) The soil seed bank of a long-grazed *Themeda triandra* grassland in Victoria. *Proceedings of the Royal Society of Victoria* 102(1), 53-57.
- Lunt, I.D. (1990c) Impact of an autumn fire on a long-grazed *Themeda triandra* (Kangaroo Grass) grassland: implications for management of invaded, remnant vegetations. *Victorian Naturalist* 107(2), 45-51.
- Lunt, I.D. (1990d) Species area curves and growth-form spectra for some herb-rich woodlands in western Victoria, Australia. *Australian Journal of Ecology* 15,155-161.
- Lunt, I.D. (1991) Management of remnant lowland grasslands and grassy woodlands for nature conservation: a review. *Victorian Naturalist* 108(3), 56-66.
- Lunt, I.D. (1995a) Seed longevity of six native forbs in closed *Themeda triandra* grassland. *Australian Journal of Botany* 43, 439-449.
- Lunt, I.D. (1995b) European management of remnant grassy forests and woodlands in south-eastern Australia- past, present and future? *Victorian Naturalist* 112(6), 239-249.
- Lunt, I.D. (1995c) A flexible approach to grassland management based on plant life-forms and growth-forms. In S. Sharp and R. Rehwinkel (Eds.), *Management of Relict Lowland Grasslands. Proceedings of a Workshop and Public Seminar, September 24 and 25 1993*. ACT Parks and Conservation Service Conservation Series No. 8, pp. 112-121.
- Lunt, I.D. (1996) A transient soil seed bank for the yam-daisy *Microseris scapigera*. *Victorian Naturalist* 113, 16-19.
- Lunt, I.D. (1997a) Germinable soil seed banks of anthropogenic native grasslands and grassy forest remnants in temperate south-eastern Australia. *Plant Ecology* 130, 21-34.
- Lunt, I.D. (1997b) Effects of long-term vegetation management on remnant grassy forests and anthropogenic native grasslands in south-eastern Australia. *Biological Conservation* 81, 287-297.

- Lunt, I., Barlow, T. and Ross, J. (1998) *Plains Wandering. Exploring the Grassy Plains of South-eastern Australia*. Victorian National Parks Association and Trust for Nature (Victoria), Melbourne.
- Lunt, I. and Morgan, J. (1998a) Lessons from grassland management of Laverton North and Derrimut Grassland Reserves: what can we learn for future grassland management? In V. Craigie and C. Hocking (Eds.), *Down to Grass Roots. Proceedings of a Conference on Management of Grassy Ecosystems*, 9 & 10 July 1998. Victoria University, St Albans, Vic., pp. 69-74.
- Lunt, I. and Morgan, J. (1998b) Warning: Kangaroo Grass dies from neglect. *Land for Wildlife News* 3(10), 8-9.
- Lunt, I.D. and Morgan, J.W. (1999a). Effect of fire frequency on plant composition at the Laverton North Grassland Reserve, Victoria. *Victorian Naturalist* 116, 84-89.
- Lunt, I.D. and Morgan, J.W. (1999b) Vegetation changes after 10 years of grazing exclusion and intermittent burning in a *Themeda triandra* (Poaceae) grassland reserve in south-eastern Australia. *Australian Journal of Botany* 47, 537-552.
- Lunt, I. and Morgan, J. (1999c) Lessons from grassland management of Laverton North and Derrimut Grassland Reserves: what can we learn for future grassland management? In V. Craigie and C. Hocking (Eds.), *Down to Grass Roots. Proceedings of a Conference on Management of Grassy Ecosystems*, 9 and 10 July 1998. Victoria University, St Albans, Vic., pp. 69-74.
- Lunt, I.D. and Morgan, J.W. (2000) Can competition from *Themeda triandra* inhibit invasion by the perennial exotic grass *Nassella neesiana* in native grasslands? *Plant Protection Quarterly* 15(3), 92-94.
- Lunt, I.D. and Morgan, J.W. (2002) The role of fire regimes in temperate lowland grasslands of southeastern Australia. In R.A. Bradstock, J.E. Williams and M.A. Gill (Eds.), *Flammable Australia. The Fire Regimes and Biodiversity of a Continent*. Cambridge University Press, Cambridge, UK, pp. 177-196.
- MacDougall, A.S. and Turkington, R. (2007) Does the type of disturbance matter when restoring disturbance-dependent grasslands? *Restoration Ecology* 15(2), 263-272.
- Mack, M.C. and D'Antonio, C.M. (1998) Impacts of biological invasions on disturbance regimes. *Trends in Ecology and Evolution* 13(5), 195-198.
- Mack, R.N. (1989) Temperate grasslands vulnerable to plant invasions: characteristics and consequences. In J.A. Drake, H.A. Mooney, F. di Castri, R.H. Groves, F.J. Kruger, M. Rejmanek and M. Williamson (Eds.), *Biological Invasions: a Global Perspective*. Scientific

- Committee on Problems of the Environment (SCOPE) 37, John Wiley & Sons, Chichester, UK, pp. 155-179.
- Maiden, J.H. (1920) *The Weeds of New South Wales Part I*. William Applegate Gullick, Government Printer, Sydney.
- Mansergh, I., Anderson, H. and Amos, H. (2006a) Victoria's living natural capital - decline and replenishment 1800-2050. (Part 1). *Victorian Naturalist* 123(1), 4-28.
- Mansergh, I., Anderson, H. and Amos, H. (2006b) Victoria's living natural capital - decline and replenishment 1800-2050. Part 2. The new millennium: replenishment. *Victorian Naturalist* 123(5), 288-313.
- Marriott, P. (2008) *Moths of Victoria. Part 1. Silk Moths and Allies Bombycoidea*. Entomological Society of Victoria, Melbourne.
- Martín Osorio, V.E., Wildpret de la Torre, W. and Reyes Betancort, J.A. (2000) *Nassella neesiana* (Trin. and Rupr.) Barkworth, una especie invasora en los espacios naturales protegidos de Canarias. *Anuario del Instituto de Estudios Canarios* 44, 35-46.
- Mascord, R. (1970) *Australian Spiders in Colour*. Reed Books, Balgowlah, New South Wales.
- Mason, B. (1998) Replacement of Chilean needle grass (*Nassella neesiana* Trin. and Rupr.) by the native kangaroo grass (*Themeda triandra* Forssk.): managing native grasslands in Central Victoria using the 'spray and hay' method. MSc thesis, Victoria University, St. Albans.
- Mason, B.D. (2004) Directions for best management of Kangaroo Grass (*Themeda triandra* Forssk.) re-establishment in southeastern Australian native grassland remnants. PhD thesis, Victoria University, Melbourne.
- Mason, B. (2005) Can acetic acid be used to control *Nassella* spp. – modifications to the 'spray and hay' method. *Plant Protection Quarterly* 20(3), 82-84.
- Mason, B. and Hocking, C. (2002) The potential for repair of exotic stipoid grass infested sites with kangaroo grass (*Themeda triandra* Forssk.) with special reference to remnant native grasslands. *Plant Protection Quarterly* 17(3), 98-101.
- Mathison, M.J. (2004) Uses and impacts of perennial grasses in South Australia: an environmental perspective. *Plant Protection Quarterly* 19(2), 50-51.
- Matthews, E.G. (1976) *Insect Ecology*. University of Queensland Press, St Lucia.
- Matthews, E.G. (1992) *A Guide to the Genera of Beetles of South Australia Part 6. Polyphaga: Lymexyloidea, Cleroidea and Cucujoidea*. South Australian Museum, Adelaide.

- Matthews, E.G. and Reid, C.A.M. (2002) *A Guide to the Genera of Beetles of South Australia Part 8. Polyphaga: Chrysomeloidea: Chrysomelidae*. South Australian Museum, Adelaide.
- May, B.M. (1994) An introduction to the immature stages of Australian Curculionoidea. In E.C. Zimmerman, Australian Weevils (*Coleoptera: Curculionoidea*) Volume II. *Brentidae, Eurhynchidae, Apionidae and a Chapter on Immature Stages by Brenda May*. CSIRO and Entomological Society of America, East Melbourne and Lanham, Maryland, pp. 365-703.
- McArdle, S.L., Nadolny, C. and Sindel, B.M. (2004) Invasion of native vegetation by Coolatai Grass *Hyparrhenia hirta*: impacts on native vegetation and management implications. *Pacific Conservation Biology* 10(1), 49-56.
- McDonald, G. (1991) Development and survival of *Mythimna convecta* (Walker) and *Persectania ewingii* (Westwood) (Lepidoptera: Noctuidae) on cereal and grass hosts. *Journal of the Australian Entomological Society* 30, 295-302.
- McDonald, G. and Smith, A.M. (1986) The incidence and distribution of the armyworms *Mythimna convecta* (Walker) and *Persectania* spp. (Lepidoptera: Noctuidae) and their parasitoids in major agricultural districts of Victoria, south-eastern Australia. *Bulletin of Entomological Research* 76, 199-210.
- McDougall, K.L. (1987) *Sites of Botanical Significance in the Western Region of Melbourne*. Department of Geography, University of Melbourne, report for Department of Conservation, Forests and Lands, Melbourne, 122 pp.
- McDougall, K.L. (1989) The re-establishment of *Themeda triandra* (Kangaroo Grass): implications for the restoration of grassland. *Arthur Rylah Institute for Environmental Research Technical Report Series* No. 89, 53 pp.
- McDougall, K.L. and Morgan, J.W. (2005) Establishment of native grassland vegetation at Organ Pipes National Park near Melbourne, Victoria: vegetation changes from 1989 to 2003. *Ecological Management and Restoration* 6(1), 34-42.
- McIntyre, S. (1993) The nature of exotic invasions in herbaceous vegetation of high and low species richness: implications for conservation and management. In J.T. Swarbrick, C.W.L. Henderson, R.J. Jettner, L. Streit and S.R. Walker (Eds.), *10th Australian Weeds Conference and 14th Asia Pacific Weed Society Conference*, Brisbane, 6-10 September, pp. 466-470.
- McIntyre, S. (1995) Disturbance: does it have a role in the maintenance of rare grassland plants? In S. Sharp and R. Rehwinkel (Eds.), *Management of Relict Lowland Grasslands. Proceedings of a Workshop and Public Seminar, September 24 and 25 1993*. ACT Parks and Conservation Service Conservation Series No. 8, pp. 39-42.

- McIntyre, S. and Lavorel, S. (1994a) How environmental and disturbance factors influence species composition in temperate Australian grasslands. *Journal of Vegetation Science* 5, 373-384.
- McIntyre, S. and Lavorel, S. (1994b) Predicting richness of native, rare, and exotic plants in response to habitat and disturbance variables across a variegated landscape. *Conservation Biology* 8, 521-531.
- McIntyre, S. and Lavorel, S. (2007) A conceptual model of land use effects on the structure and function of herbaceous vegetation. *Agriculture, Ecosystems and Environment* 119, 11-21.
- McIntyre, S., Lavorel, S. and Trémont, R.M. (1995) Plant life-history attributes: their relationship to disturbance response in herbaceous vegetation. *Journal of Ecology* 83, 31-44.
- McLaren, D.A., Coventry, R. and Thorp, J. (2002a) Stipoid grasses as Weeds of National Significance. *Plant Protection Quarterly* 17(3), 119-124.
- McLaren, D.A., Morfe, T.A. and Weiss, J. (2002b) Distribution, economic impact and attitudes towards Chilean needlegrass (*Nassella neesiana* (Trin. and Rupr.) Barkworth) in Australia. In H. Spafford Jacob, J. Dodd and J.H. Moore (Eds.), *13th Australian Weeds Conference Papers and Proceedings*, 8-13 September 2002. Plant Protection Society of Western Australia Inc., Perth, pp. 749-752.
- McLaren, D., Pritchard, G. and Gaur, S. (2005) Herbicide label changes for serrated tussock and needle grasses (*Nassella* spp.). *Under Control – Pest Plant and Animal Management News* 29, 14-15.
- McLaren, D.A., Stajsic, V. and Gardener, M.R. (1998) The distribution and impact of South/North American stipoid grasses (Poaceae: Stipeae) in Australia. *Plant Protection Quarterly* 13(2), 62-70.
- McLaren, D.A., Stajsic, V. and Iaconis, L. (2004a) The distribution, impacts and identification of exotic stipoid grasses in Australia. *Plant Protection Quarterly* 19(2), 59-66.
- McLaren, D.A., Weiss, J.E.R. and Faithfull, I. (2004b) Weeds of significance to the grazing industries of Victoria. In T. Grice, *Weeds of Significance to the Grazing Industries of Australia*. Final Report to Meat and Livestock Australia, Project Number COMP.045, CRC for Australian Weed Management and Meat and Livestock Australia Ltd, North Sydney, pp. 48-69.
- Mahon, A.R.G., McDougall, K.L. and Carr, G.W. (1990) Re-establishment of native grasslands following pipeline construction at Laverton North, Victoria. Ecological Horticulture Pty Ltd, Clifton Hill, and Habitat Works, Brunswick, report for Liquid Air Australia Ltd, December, 14pp.

- Melbourne, B.A. (1993) The assessment of insect biodiversity. A case study: ants and carabid beetles in grasslands of the ACT. BSc (Hons.) thesis, Division of Botany and Zoology, Australian National University, Canberra.
- Melbourne, B.A., Cornell, H.V., Davies, K.F., Dugaw, C.J., Elmendorf, S., Freestone, A.L., Hall, R.J., Harrison, S., Hastings, A., Holland, M., Holyoak, M., Lambrinos, J., Moore, K. and Yokomizo, H. (2007) Invasion in a heterogeneous world: resistance, coexistence or hostile takeover? *Ecology Letters* 10, 77-94.
- Melgoza, G., Nowak, R.S. and Tausch, R.J. (1990) Soil water exploitation after fire: competition between *Bromus tectorum* (cheatgrass) and two native species. *Oecologia* 83, 7-13.
- Menkhorst, P.W. (Ed.) (1995) *Mammals of Victoria. Distribution, Ecology and Conservation*. Oxford University Press, Melbourne.
- Milton, S.J. (2004) Grasses as invasive alien plants in South Africa. *South African Journal of Science* 100, 69-75.
- Mingo, A. and Oesterheld, M. (2009) Retention of dead leaves by grasses as a defence against herbivores. A test on the palatable grass *Paspalum dilatatum*. *Oikos* 118, 753-757.
- Moerkerk, M. (2005a) Machinery hygiene - what is on our vehicles? In *Proceedings Second Victorian Weed Conference*, 17-19 August 2005, Bendigo. Weed Society of Victoria, Frankston, pp. 99-101.
- Moerkerk, M. (2005b) Machinery hygiene - what is on our vehicles? *Proceedings of the Tussock Terminators Research Forum at Lake Hume Resort Albury NSW 2nd-3rd November 2005*. Cooperative Research Centre for Australian Weed Management, National Serrated Tussock Management Group, National Chilean Needle Grass Taskforce, Natural Heritage Trust, Department of Primary Industries Victoria, New South Wales Department of Primary Industries, pp. 50-52.
- Moerkerk, M. (2006a) Risk of weed movement through vehicles, plant and equipment: results from a Victorian study. In C. Preston, J.H. Watts and N.D. Crossman (Eds.), *15th Australian Weeds Conference Papers and Proceedings*. Weed Management Society of South Australia Inc., Adelaide, pp. 458-461.
- Moerkerk, M. (2006b) Are you importing weeds onto your property? In B. Hackney, K. Bailes, J. Pilz and H. Burns (Eds.), *Proceedings of the 21st Annual Conference of the Grassland Society of New South Wales Inc.*, pp. 55-57.
- Moore, B.P. (1990) A Guide to the Beetles of South-eastern Australia Fascicle 9, pp. 149-164, in *Australian Entomological Magazine* 17(3).

- Moore, R.M. (1973) South-eastern temperate woodlands and grasslands. In R.M. Moore (Ed.) *Australian Grasslands*, Corrected edition, Australian National University Press, Canberra, pp. 169-190.
- Moore, R.M. (1993) Grasslands of Australia. In R.T. Coupland (Ed.), *Ecosystems of the World 8B. Natural Grasslands Eastern Hemisphere and Résumé*. Elsevier Science Publishers B.V., Amsterdam, Netherlands, pp. 315-360.
- Moraldo, B. (1986) Il genere *Stipa* L. (Gramineae) in Italia. *Webbia* 40(2), 203-278.
- Moretto, A.S. and Distel, R.A. (2002) Soil nitrogen availability under grasses of different palatability in a temperate semi-arid rangeland of central Argentina. *Austral Ecology* 27, 509-514.
- Morfe, T.A., McLaren, D.A. and Weiss, J. (2003) Treatment of Chilean needle-grass (*Nassella neesiana*) in Victoria: a benefit-cost analysis. *Proceedings II. Nineteenth Asian-Pacific Weed Science Society Conference*, 17-21 March, Manila, Philippines. Weed Science Society of the Philippines, pp. 875-881.
- Morgan, J.W. (1994) The ecology of grasses and grasslands in lowland Victoria. *Victorian Naturalist* 111(3), 87-92.
- Morgan, J.W. (1995a) Ecological studies of the endangered *Rutidosia leptorrhynchoides*. I. Seed production, soil seed bank dynamics, population density and their effects on recruitment. *Australian Journal of Botany* 43, 1-11.
- Morgan, J.W. (1995b) Ecological studies of the endangered *Rutidosia leptorrhynchoides*. II. Seedling emergence and survival in a native grassland. *Australian Journal of Botany* 43, 13-24.
- Morgan, J.W. (1996) Secondary juvenile period and community recovery following late-spring burning of a kangaroo grass *Themeda triandra* grassland. *Victorian Naturalist* 113(2), 47-57.
- Morgan, J. (1997a) Monitoring small-scale spatial and temporal dynamics of plants in basalt plains grasslands. Paper presented to the Research Advisory Group of the Victorian Grassy Ecosystem Reference Group Seminar, 11 October.
- Morgan, J.W. (1997b) The effect of grassland gap size on establishment, growth and flowering of the endangered *Rutidosia leptorrhynchoides* (Asteraceae). *Journal of Applied Ecology* 34, 566-576.
- Morgan, J.W. (1998a) Comparative germination responses of 28 temperate grassland species. *Australian Journal of Botany* 46, 209-219.

- Morgan, J.W. (1998b) Importance of canopy gaps for recruitment of some forbs in *Themeda triandra*-dominated grasslands in south-eastern Australia. *Australian Journal of Botany* 46, 609-627.
- Morgan, J.W. (1998c) Composition and seasonal flux of the soil seed bank of species-rich *Themeda triandra* grasslands in relation to burning history. *Journal of Vegetation Science* 9, 145-156.
- Morgan, J.W. (1998d) Patterns of invasion of an urban remnant of a species-rich grasslands in southeastern Australia by non-native plant species. *Journal of Vegetation Science* 9, 181-190.
- Morgan, J.W. (1998e) Small-scale plant dynamics in temperate *Themeda triandra* grasslands of southeastern Australia. *Journal of Vegetation Science* 9, 347-360.
- Morgan, J. W. (1999a) Burning issues in *Themeda* grasslands of the western volcanic plains, Victoria: fire and conservation management in species-rich remnants. In V. Craigie and C. Hocking (Eds.), *Down to Grass Roots. Proceedings of a Conference on Management of Grassy Ecosystems*, Victoria University, St Albans, Victoria, pp. 40-47.
- Morgan, J.W. (1999b) Have tubestock plantings successfully established populations of rare grassland species into reintroduction sites in western Victoria? *Biological Conservation* 89, 235-243.
- Morgan, J.W. (2001) Seedling recruitment patterns over 4 years in an Australian perennial grassland community with different fire histories. *Journal of Ecology* 89, 908-919.
- Morgan, J.W. (2004) Bryophyte composition in a native grassland community subjected to different long-term fire regimes. *Cunninghamia* 8(4), 485-489.
- Morgan, J.W. (2007) Relationship between fire frequency and nitrogen limitation on foliage production in a native grassland community in Victoria, Australia. *The Rangeland Journal* 29, 101-105.
- Morgan, J.W. and Lunt, I.D. (1999) Effects of time-since-fire on the tussock dynamics of a dominant grass (*Themeda triandra*) in temperate Australian grassland. *Biological Conservation* 88, 379-386.
- Morgan, J.W. and Rollason, T.S. (1995) Base-line monitoring of a significant grassland remnant at Evans Street, Sunbury, Victoria. *Victorian Naturalist* 112(4), 148-159.
- Mott, J.J. and Groves, R. H. (1994) Natural and derived grasslands. In R.H. Groves (Ed.) *Australian Grasslands*. 2nd Edn, Cambridge University Press, Cambridge, UK, Ch.13, pp. 369-392.
- Moulds, M.S. (1990) *Australian Cicadas*. New South Wales University Press, Kensington.

- Mueller Dombois, D. (1973) A non-adapted vegetation interferes with water removal in a tropical rain forest area in Hawaii. *Tropical Ecology* 24, 1-18.
- Muir, A.M. and Carr, G.W. (1994) Evaluation of native grassland re-establishment – Air Liquide Australia pipeline easement, Altona North, Victoria. Ecology Australia Pty Ltd, Clifton Hill, report for Air Liquide Australia Limited, October, 29 pp.
- Murphy, B.P. and Bowman, D.M.J.S. (2007) The interdependence of fire, grass, kangaroos and Australian aborigines: a case study from central Arnhem Land, northern Australia. *Journal of Biogeography* 34, 237-250.
- Murphy, B.P. and Bowman, D.M.J.S. (2009) The carbon and nitrogen isotope composition of Australian grasses in relation to climate. *Functional Ecology* 23, 1040-1049.
- Muyt, A. (2001) *Bush Invaders of South-east Australia. A Guide to the Identification and Control of Environmental Weeds found in South-east Australia*. R.G. and F.J. Richardson, Meredith, Victoria.
- Muyt, A. (2005) *Yarramundi Reach: Vegetation Survey Methods, Management Issues and Flora List*. Report to the National Capital Authority, March, 20 pp.
- Neville, P.J. and Yen, A.L. (2007) Standardising terrestrial invertebrate biomonitoring techniques across natural and agricultural systems. *Australian Journal of Experimental Agriculture* 47, 384-391.
- New, T.R. (1984) *Insect Conservation – An Australian Perspective*. Dr W. Junk Publishers, Dordrecht, Netherlands.
- New, T.R. (1989) *Associations between Insects and Plants*. New South Wales University Press, Kensington, NSW.
- New, T.R. (2000) How useful are ant assemblages for monitoring habitat disturbances on grasslands in southeastern Australia. *Journal of Insect Conservation* 4, 153-159.
- New, T.R. (2010) *Beetles in Conservation*. Wiley-Blackwell, Chichester, UK.
- Nie, Z.N., Miller, S., Moore, G.A., Hackney, B.F., Boschma, S.P., Reed, K.F.M., Mitchell, M., Albertson, T.O., Clark, S., Craig, A.D., Kearney, G., Li, G.D. and Dear, B.S. (2008) Field evaluation of perennial grasses and herbs in southern Australia. 2. Persistence, root characteristics and summer activity. *Australian Journal of Experimental Agriculture* 48, 425-435.
- Nie, Z.N., Zollinger, R.P. and Jacobs, J.L. (2009) Performance of 7 Australian native grasses from the temperate zone under a range of cutting and fertiliser regimes. *Crop and Pasture Science* 60, 943-953.

- Nielsen, E.S. and Edwards, E.D. (1996) Psychidae. In E.S. Nielsen, E.D. Edwards and T.V. Rangsi (Eds.), *Checklist of the Lepidoptera of Australia*. CSIRO, Melbourne, pp. 33-35.
- Norton, B.E. (1998) The application of grazing management to increase sustainable livestock production. *Animal Production in Australia. Proceedings of the Australian Society for Animal Production* 22, 15-26.
- Norton, M.R., Lelièvre, F., Fukai, S. and Volaire, F. (2008) Measurement of summer dormancy in temperate perennial pasture grasses. *Australian Journal of Agricultural Research* 59, 498-509.
- Nottingham, A.T., Griffiths, H., Chamberlain, P.M., Stott, A.W. and Tanner, E.V.J. (2009) Soil priming by sugar and leaf-litter substrates: a link to microbial groups. *Applied Soil Ecology* 42, 183-190.
- O'Bryan, K., Prober, S.M., Lunt, I.D., and Eldridge, D.J. (2009). Frequent fire promotes diversity and cover of biological soil crusts in a derived temperate grassland. *Oecologia* 159, 827-838.
- O'Connor, T.G. (1996) Hierarchical control over seedling recruitment of the bunch-grass *Themeda triandra* in a semi-arid savanna. *Journal of Applied Ecology* 33, 1094-1106.
- O'Dwyer, C. (1999) The habitat of the Golden Sun Moth *Synemon plana* (Lepidoptera; Castniidae). In: W. Ponder and D. Lunney (Eds.), *The Other 99%. The Conservation and Biodiversity of Invertebrates. Transactions of the Royal Zoological Society of New South Wales*, Mosman, pp. 322-324.
- O'Shea, M.B. (2005) Methods for assessment and techniques for management of Striped Legless Lizard *Delma impar* populations in south-eastern Australia. PhD thesis, Sustainability Group, Victoria University, St Albans, Victoria.
- Öster, M., Ask, K., Cousins, S.A.O. and Eriksson, O. (2009) Dispersal and establishment limitation reduces the potential for successful restoration of semi-natural grassland communities on former arable fields. *Journal of Applied Ecology* 46, 1266-1274.
- Overbeck, G.E., Müller, S.C., Fidelis, A., Pfadenhauer, J., Pillar, V.D., Blanco, C.C., Boldrini, I.I., Both, R. and Forneck, E.D. (2007) Brazil's neglected biome: the South Brazilian Campos. *Perspectives in Plant Ecology, Evolution and Systematics* 9, 101-116.
- Overbeck, G.E. and Pfadenhauer, J. (2007) Adaptive strategies in burned subtropical grassland in southern Brazil. *Flora* 202, 27-49.
- Parker, J.D., Burkepille, D.E. and Hay, M.E. (2006a) Opposing effects of native and exotic herbivores on plant invasions. *Science* 311, 1459-1461.

- Parker, J.D., Burkepile, D.E. and Hay, M.E. (2006b) Response to comment on “Opposing effects of native and exotic herbivores on plant invasions”. *Science* 313, 298b.
- Parker, J.D. and Hay, M.E. (2005) Biotic resistance to plant invasions? Native herbivores prefer non-native plants. *Ecology Letters* 8, 959-967.
- Parks Victoria (1998) *Woodlands Historic Parks Management Plan January 1997*. Parks Victoria, Kew.
- Patton, R.T. (1935) Ecological studies in Victoria. Part IV. – Basalt Plains Association. *Proceedings of the Royal Society of Victoria* 48 (NS) (2), 172-191.
- Pavri, C. and Young, C.J. (2007) Pastures (including lucerne) – winter rainfall. Grass pastures and turf. In P.T. Bailey (Ed.), *Pests of Field Crops and Pastures. Identification and Control*. CSIRO Publishing, Collingwood, pp. 393-411.
- Payne, R.W., Harding, S.A., Murray, D.A., Soutar, D.M., Baird, D.B., Welham, S.J., Kane, A.F., Gilmour, A.R., Thompson, R., Webster, R. and Tunnicliffe Wilson, G. (main authors) (2005) *GenStat® Release 8 Reference Manual*. VSN International Ltd., Oxford, UK.
- Peart, M.H. (1979) Experiments on the biological significance of the morphology of seed-dispersal units in grasses. *Journal of Ecology* 67, 843-863.
- Peart, M.H. (1984) The effects of morphology, orientation and position of grass diaspores on seedling survival. *Journal of Ecology* 72, 437-453.
- Perelman, S.B., León, R.J.C. and Oesterheld, M. (2001) Cross-scale vegetation patterns of Flooding Pampa grasslands. *Journal of Ecology* 89, 562-577.
- Phillips, A. (2000) A method for replacing serrated tussock with kangaroo grass in lowland native grassland remnants. MSc thesis, Victoria University of Technology, Melbourne.
- Phillips, A. and Hocking, C. (1996) Results of trials for replacing serrated tussock with weed-free kangaroo grass in degraded native Western Plains Grassland. In R.C.H. Shepherd (Ed.), *Proceedings Eleventh Australian Weeds Conference*, Melbourne 30 September - 3 October 1996. Weed Science Society of Victoria, Frankston, p. 524.
- Pinder, L.C.V. (1986) Biology of freshwater Chironomidae. *Annual Review of Entomology* 31, 1-23.
- Platt, S., Adair, R., White, M. and Sinclair, S. (2005) Regional priority-setting for weed management on public land in Victoria. In *Proceedings Second Victorian Weed Conference*, 17-19 August 2005, Bendigo. Weed Society of Victoria, Frankston, pp. 89-98.
- Porch, N. (2009) The first record of an amycterine weevil (Coleoptera: Curculionidae: Amycterinae) feeding on Orchidaceae. *Australian Entomologist* 36, 29-32.

- Powell, J.M. and Duncan, J.S. (1982) History. In J.S. Duncan (Ed.) *Atlas of Victoria*. Victorian Government Printing Office, Melbourne, pp. 74-81.
- Pratley, J.E. (1996) Allelopathy in annual grasses. *Plant Protection Quarterly* 11, Supplement 1, 213-214.
- Prieur-Richard, A.-H. and Lavorel, S. (2000) Invasions: the perspective of diverse plant communities. *Austral Ecology* 25, 1-7.
- Prober, S.M. and Lunt, I.D. (2009) Restoration of *Themeda australis* swards suppresses soil nitrate and enhances ecological resistance to invasion by exotic annuals. *Biological Invasions* 11, 171-81.
- Prober, S.M., Thiele, K.R. and Lunt, I.D. (2002) Identifying ecological barriers to restoration in temperate grassy woodlands: soils changes associated with different degradation states. *Australian Journal of Botany* 50, 669-712.
- Prober, S.M., Thiele, K.R. and Lunt, I.D. (2007) Fire frequency regulates tussock grass composition, structure and resilience in endangered temperate woodlands. *Austral Ecology* 32, 808-824.
- Prober, S.M., Thiele, K.R., Lunt, I.D. and Koen, T.B. (2005) Restoring ecological function in temperate grassy woodlands: manipulating soil nutrients, exotic annuals and native perennial grasses through carbon supplements and spring burns. *Journal of Applied Ecology* 42, 1073-1085.
- Puhar, P. and Hocking, C. (1996) The effects of herbicides on in vitro seed germination of kangaroo grass (*Themeda triandra*) and introduced weed species, serrated tussock (*Nassella trichotoma*) and Chilean needle grass (*Stipa neesiana*). In R.C.H. Shepherd (Ed.), *Proceedings Eleventh Australian Weeds Conference*, Melbourne, 30 September - 3 October 1996. Weed Science Society of Victoria, Frankston, p. 533.
- Radosevich, S.R. and Holt, J.S. (1984) *Weed Ecology. Implications for Vegetation Management*. John Wiley & Sons, New York.
- Ramakrishnan, P.S. and Vitousek, P.M. (1989) Ecosystem-level processes and the consequences of biological invasions. In J.A. Drake, H.A. Mooney, F. di Castri, R.H. Groves, F.J. Kruger, M. Rejmanek and M. Williamson (Eds.), *Biological Invasions: a Global Perspective*. Scientific Committee on Problems of the Environment (SCOPE) 37, John Wiley & Sons, Chichester, UK, pp. 282-300.
- Randall, R.P. (2002) *A Global Compendium of Weeds*. R.G. and F.J. Richardson, Melbourne.
- Reever Morghan, K.J. and Seastedt, T.R. (1999) Effects of soil nitrogen reduction on nonnative plants in restored grasslands. *Restoration Ecology* 7, 51-55.

- Rentz, D.C.F. (1996) *Grasshopper Country. The Abundant Orthopteroid Insects of Australia*. University of New South Wales Press, Sydney.
- Rentz, D.C.F., Lewis, R.C., Su, Y.N. and Upton, M.S. (2003) *A Guide to Australian Grasshoppers and Locusts*. Kota Kinabalu, Malaysia, Natural History Publications (Borneo).
- Reseigh, J., Brown, W., Laslett, T., Foster, P., Myers, R.J. and Carter, M. (2008) *Native Grass Strategy for South Australia; Broadacre Adoption and Seed Production of Native Perennial Grasses in Agriculture*. Rural Solutions SA, Adelaide.
- Reynolds, D. M. (2006) The ecological importance of soil disturbance on the recruitment, growth and reproduction of temperate lowland grassland forbs and implications for restoration. B Sc (Honours) Thesis. Sustainability Group, Faculty of Science, Health and Technology, Victoria University, St Albans.
- Richardson, D.M. and van Wilgen, B.W. (2004) Invasive alien plants in South Africa: how well do we understand the ecological impacts? *South African Journal of Science* 100, 45-52.
- Roberts, S.E., Andersson, K., Murphy, N., McMaster, C. and Tate, S. (2006) Distribution of phosphorus levels across the Healthy Soils for Healthy Landscape and Benchmarking Soil Chemistry projects areas for cropping and pasture systems. In B. Hackney, K. Bailes, J. Pilz and H. Burns (Eds.), *Proceedings of the 21st Annual Conference of the Grassland Society of New South Wales Inc.*, pp. 148-149.
- Robertson, D. (1985) Interrelationships between kangaroos, fire and vegetation dynamics at Gellibrand Hill Park, Victoria. PhD thesis, University of Melbourne.
- Robinson, R. (2003) Natural recruitment of native forbs in the grassy ecosystems of south-eastern Australia. MSc thesis, Victoria University of Technology, St. Albans.
- Robinson, R. (2005) Direct seeding in weed infested remnant grassland situations using native forbs. *Plant Protection Quarterly* 20(3), 84-89.
- Rogers, A.L., Anderson, G.W., Biddiscombe, E.F., Arkell, P., Glencross, R., Nicholas, D.A. and Paterson, J.G. (1979) Perennial Pasture Grasses in South Western Australia. 1. Preliminary Evaluation of Species. *Department of Agriculture Western Australia Technical Bulletin* No. 45, 15 pp.
- Rossiter, N.A., Setterfield, S.A., Douglas, M.M. and Hutley, L.B. (2003) Testing the grass-fire cycle: alien grasses invasion in the tropical savannas of northern Australia. *Diversity and Distributions* 9,169-176.
- Rossiter, N., Setterfield, S., Douglas, M., Hutley, L. and Cook, G. (2006) The impact of exotic grass invasions on nitrogen cycling: a mini review. In C. Preston, J.H. Watts and N.D.

- Crossman (Eds.), *15th Australian Weeds Conference Papers and Proceedings*. Weed Management Society of South Australia Inc., Adelaide, pp. 815-818.
- Rout, M.E. and Chrzanowski, T.H. (2009) The invasive *Sorghum halepense* harbors endophytic N₂-fixing bacteria and alters soil biogeochemistry. *Plant and Soil* 315, 163-172.
- Rowell, A. (1996) *Yarramundi Grassland Vegetation Mapping and Management Recommendations*. Brief Number 95/58. ANUTECH Pty Ltd, Report to the National Capital Planning Authority, Canberra, June, 14 pp. +4 pp. colour maps.
- Rowell, A. and Crawford, I. (1995) Survey of the morabine grasshopper *Keyacris scurra* (Rehn) in the A.C.T. CSIRO Report to the Wildlife Research Unit, ACT Parks and Conservation Service, June, 63 pp.
- Ruprecht, E., Donath, T.W., Otte, A. and Eckstein, R.L. (2008) Chemical effects of a dominant grass on seed germination of four familial pairs of dry grassland species. *Seed Science Research* 18, 239-248.
- Sadler, R.J., Hazelton, M., Boer, M.M. and Grierson, P.F. (2010) Deriving state-and-transition models from an image series of grassland pattern dynamics. *Ecological Modelling* 221, 433-444.
- Samways, M.J. (2005) *Insect Diversity Conservation*. Cambridge University Press, Cambridge, UK.
- Saunders, D.A. (1999) Biodiversity does matter. In T. Barlow and R. Thorburn (Eds.), *Balancing Conservation and Production in Grassy Landscapes. Proceedings of the Bushcare Grassy Landscapes Conference, Clare, South Australia, 19-21 August 1999*. Environment Australia, Canberra, pp. 14-18.
- Scarlett, N.H. (1994) Soil crusts, germination and weeds – issues to consider. *Victorian Naturalist* 111(4), 125-130.
- Scarlett, N.H. and Parsons, R.F. (1993) Rare or threatened plants in Victoria. In D.B. Foreman and N.G. Walsh (Eds.), *Flora of Victoria Volume 1. Introduction*. Inkata Press, Melbourne, pp. 227-255.
- Scarlett, N.H., Wallbrink, S.J. and McDougall, K. (1992) *Field Guide to Victoria's Native Grasslands. Native Plants of Victorian Lowland Plains*. National Trust of Australia (Victoria), Victoria Press, South Melbourne.
- Scataglini, M.A., Lanteri, A.A. and Confalonieri, V.A. (2005) Phylogeny of the *Pantomorus–Naupactus* complex based on morphological and molecular data (Coleoptera: Curculionidae). *Cladistics* 21, 131-142.

- Schaffers, A.P., Raemakers, I.P., Sykora, K.V. and ter Braak, C.J.F. (2008) Arthropod assemblages are best predicted by plant species composition. *Ecology* 89(3), 782-794.
- Schmidt, C.D., Hickman, K.R., Channell, R., Harmony, K. and Stark, W. (2008) Competitive abilities of native grasses and non-native (*Bothriochloa* spp.) grasses. *Plant Ecology* 197, 69-80.
- Scholz, H. and Krigas, N. (2004) *Nassella neesiana* (Trin. and Rupr.) Barkworth, pp. 78-79 in W. Greuter and T. Raus (Eds.) Med-checklist Notulae, 22. *Willdenowia* 34, 71-80.
- Seabloom, E.W., Harpole, W.S., Reichman, O.J. and Tilman, D. (2003) Invasion, competitive dominance, and resource use by exotic and native California grassland species. *Proceedings of the National Academy of Sciences* 100(23), 13384-13389.
- Shapiro, A.M. (2002) The Californian urban butterfly fauna is dependent on alien plants. *Diversity and Distributions* 8, 31-40.
- Sharp, S. (1997) Diversity, patterns and processes of vegetation and invertebrate orders in natural temperate grassland in the Australian Capital Territory. M.App.Sci. thesis, University of Canberra.
- Sharp, S. (2006) Assessment of vegetation condition of grassy ecosystems in the Australian Capital Territory. *Ecological Management and Restoration* 7, S63-S65.
- Shepherd, R.C.H., Richardson, R.G. and Richardson, F.J. (2001) *Plants of Importance to Australia. A Checklist*. R.G. and F.J. Richardson, Meredith, Victoria.
- Simberloff, D. and Von Holle, B. (1999) Positive interactions of nonindigenous species: invasional meltdown? *Biological Invasions* 1, 21-32.
- Sinclair, R. (2002) Ecophysiology of grasses. In K. Mallett and A.E. Orchard (Eds.), *Flora of Australia Volume 43. Poaceae 1. Introduction and Atlas*. Australian Biological Resources Survey/CSIRO, Melbourne, pp. 133-156.
- Singh, D.K., Bird, P.R. and Saul, G.R. (2003) Maximising the use of soil water by herbaceous species in the high rainfall zone of southern Australia: a review. *Australian Journal of Agricultural Research* 54, 677-691.
- Slater, J.A. (1976) The biology, distribution and taxonomy of some Lygaeidae of southwest Australia (Hemiptera: Heteroptera). *Journal of the Australian Entomological Society* 15, 129-151.
- Slater, J.A. (1991) Lygaeidae. In CSIRO, *The Insects of Australia. A Textbook for Students and Research Workers*. 2nd Edn, Melbourne University Press, Carlton, pp. 499-503.

- Slay, M. (2001) *Annual Report of Activities of the Hawke's Bay Chilean Needle Grass Group*. Homelea AgTechnology and Advisory Service and AgResearch Poukawa, Hastings & Havelock North, New Zealand, 59 pp.
- Slay, M.W.A. (2002a) *Review: Distribution Biology and Control of Chilean Needle Grass*. Report prepared for the Hawke's Bay Chilean Needle Grass Group, Homelea AgTechnology and Advisory Services and AgResearch Poukawa, Hastings and Havelock North, New Zealand, March, 50 pp.
- Slay, M.W.A. (2002b) *Chilean Needle Grass Control in Hawke's Bay. Chemical Topping*. Report prepared for the Hawke's Bay Chilean Needle Grass Group, Homelea AgTechnology and Advisory Services and AgResearch Poukawa, Hastings and Havelock North, New Zealand, July, 30 pp.
- Slay, M. (2002c) *Chilean Needle Grass. A Guide to Identification and Management in Hawke's Bay*. Hawke's Bay Regional Council, Napier, New Zealand, 44 pp.
- Smallbone, L.T., Prober, S.M. and Lunt, I.D. (2007) Restoration treatments enhance early establishment of native forbs in a degraded temperate grassy woodland. *Australian Journal of Botany* 55, 818-830.
- Smallbone, L.T., Lunt, I.D. and Prober, S.M. (2008) Soil nitrate promotes growth of an exotic grass more than native forbs. *Ecological Management and Restoration* 9, 60-63.
- Smith, B.J. and Kershaw, R.C. (1979) *Field Guide to the Non-marine Molluscs of South Eastern Australia*. Australian National University Press, Canberra.
- Smith, J.H., Stehman, S.V., Wickham, J.D. and Yang, L. (2003) Effects of landscape characteristics on land-cover class accuracy. *Remote Sensing of the Environment* 84, 342-349.
- Smith, Z.F., James, E.A., McDonnell, M.J. and McLean, C.B. (2009) Planting conditions improve translocation success of the endangered terrestrial orchid *Diuris fragrantissima* (Orchidaceae). *Australian Journal of Botany* 57, 200-209.
- Snell, K., Grech, C. and Davies, J. (2007) *National Best Practice Management Manual Chilean Needle Grass. Defeating the Weed Menace*, Victorian Department of Primary Industries and National Chilean Needle Grass Taskforce, Melbourne.
- Sokal, R.R. and Rohlf, F.J. (1969) *Biometry: the Principles and Practice of Statistics in Biological Research*. 3rd Edn, W.H. Freeman and Company, New York.
- Soriano, A., León, R.J.C., Sala, O.E., Lavado, R.S., Deregibus, V.A., Cauhépé, M.A., Scaglia, O.A., Velázquez, C.A. and Lemcoff, J.H. (1992) Río de la Plata grasslands. In R.T.

- Coupland (Ed.), *Ecosystems of the World 8A. Natural Grasslands. Introduction and Western Hemisphere*. Elsevier Science Publishers B.V., Amsterdam, Netherlands, pp. 367-407.
- Southwood, T.R.E. (1994) *Ecological Methods: with Particular Reference to the Study of Insect Populations*. Chapman and Hall, London.
- Specht, R.L. (2000) Savannah woodland vegetation in the South-East District of South Australia: the influence of evaporative aerodynamics on the foliar structure of the understorey invaded by introduced annuals. *Australian Journal of Ecology* 25(6), 588-599.
- Stace, C. (1997) *New Flora of the British Isles*. 2nd Edn, Cambridge University Press, Cambridge, UK.
- Stafford, J.L. (1991) Techniques for the establishment of kangaroo grass in South Australian conservation reserves. *Plant Protection Quarterly* 6(3), 120-122.
- Stanton, R. (2006) Weed seed dispersal by sheep and cattle. *Plant Protection Quarterly* 21(4), 145-147.
- Stewart, J. (1996) Observations after fire in a degraded grassland. *Victorian Naturalist* 113, 102-105.
- Stohlgren, T.J. (2007) *Measuring Plant Diversity. Lessons from the Field*. Oxford University Press, Oxford, UK.
- Stoner, J.R., Adams, R. and Simmons, D. (2004) Management implications of increased fuel loads following exotic grass invasion. *Ecological Management and Restoration* 5(1), 68-69.
- Storrie, A.M. and Lowien, J.C. (2003) Chilean needle grass. *New South Wales Agriculture Agnote* DPI 194, 3rd Edn, 5 pp.
- Strong, D.R. and Pemberton, R.W. (2002) Food webs, risks of alien enemies and reform of biological control. In E. Wajnberg, J.K. Scott and P.C. Quimby (Eds.), *Evaluating Indirect Ecological Effects of Biological Control*. CABI Publishing, Wallingford, UK, pp. 57-79.
- Stuwe, J. (1994) The role of fire in ground flora ecology. *Victorian Naturalist* 111(3), 93-95.
- Stuwe, J. and Parsons, R.F. (1977) *Themeda australis* grasslands on the Basalt Plains, Victoria: floristics and management effects. *Australian Journal of Ecology* 2, 467-476.
- Sutton, C.S. (1916-1917) A sketch of the Keilor Plains flora. *Victorian Naturalist* 33, 112-123, 128-143.
- Symstad, A.J. (2000) A test of the effects of functional group richness and composition on grassland invasibility. *Ecology* 81(1), 99-109.
- Thellung, A. (1912) La flore adventice de Montpellier. *Mémoires de la Société Nationale des Sciences Naturelles et Mathématiques de Cherbourg* 38, 57-728.

- Thorp, J.R. and Lynch, R. (2000) *The Determination of Weeds of National Significance*. National Weeds Strategy Executive Committee, Launceston, Tasmania.
- Tilman, D. (1997) Community invasibility, recruitment limitation and grassland biodiversity. *Ecology* 78, 81-92.
- Todd, J.A. (1991) Evaluation of *Themeda triandra* (Kangaroo Grass) grassland re-establishment – Liquid Air Australia pipeline easement, Laverton North, Victoria. Ecological Horticulture Pty Ltd, Clifton Hill, Report for Liquid Air Australia Ltd, October, 22 pp.
- Trémont, R.M. (1994) Life-history attributes of plants in grazed and ungrazed grasslands on the Northern Tablelands of New South Wales *Australian Journal of Botany* 42, 511-530.
- Trémont, R.M. and McIntyre, S. (1994) Natural grassy vegetation and native forbs in temperate Australia: structure, dynamics and life histories. *Australian Journal of Botany* 42, 641-658.
- Trengrove, M. (1997) Letter to David McLaren, Keith Turnbull Research Institute, from Geelong Indigenous Nursery, re *Nassella trichotoma* and *N. neesiana*, 4 December, 1 p.
- Tscharntke, T. and Greiler, H.-J. (1995) Insect communities, grasses and grasslands. *Annual Review of Entomology* 40, 535-558.
- Tsvelev, N.N. (1984) *Grasses of the Soviet Union*. Translated by B.R. Sharma. A.A. Balkema, Rotterdam.
- Uys, R., Bond, W.J. and Everson, T.M. (2004) The effects of different fire regimes on plant diversity in southern African grasslands. *Biological Conservation* 118, 489-499.
- van Andel, J. and van den Bergh, J.P. (1987) Disturbance of grasslands. Outline of the theme. In J. van Andel, J.P. Bakker and R.W. Snaydon (Eds.), *Disturbance in Grasslands. Causes, Effects and Processes*. Dr. W. Junk Publishers, Dordrecht, pp. 3-13.
- Vázquez, F.M. and Devesa, J.A. (1996) Revisión del género *Stipa* L. y *Nassella* Desv. (Poaceae) en la Península Ibérica e Islas Baleares. *Acta Botanica Malacitana* 21, 125-189.
- Verbeek, B. (2006) New and existing weed threats in southern New South Wales. In B. Hackney, K. Bailes, J. Piltz and H. Burns (Eds.), *Proceedings of the 21st Annual Conference of the Grassland Society of NSW Inc.*, Wagga Wagga, July, pp. 25-27.
- Verloove, F. (2005) A synopsis of *Jarava* Ruiz and Pav. and *Nassella* E. Desv. (*Stipa* L. s.l.) (Poaceae: Stipeae) in southwestern Europe. *Candollea* 60(1), 97-117.
- Versfeld, D.B., Le Maitre, D.C. and Chapman, R.A. (1998) Alien invading plants and water resources in South Africa: a preliminary assessment. Water Research Commission Report No. TT99/98, Pretoria.

- Versfeld, D.B. and van Wilgen, B.W. (1986) Impact of woody aliens on ecosystem properties. In I.A.W. Macdonald, F.J. Kruger and A.A. Ferrar (Eds.), *The Ecology and Management of Biological Invasions in Southern Africa*. Oxford University Press, Cape Town, pp. 239-246.
- Vickery, J.W., Jacobs, S.W.L. and Everett, J. (1986) Taxonomic studies in *Stipa* (Poaceae) in Australia. *Telopea* 3(1), 1-132.
- Vidler, S.J. (2004) Using your cute and furries: the role of threatened species in weed awareness. In B.M. Sindel and S.B. Johnson (Eds.), *14th Australian Weeds Conference Papers & Proceedings*. Weed Society of New South Wales, Sydney, pp. 652-658.
- Vitousek, P.M., D'Antonio, C.M., Loope, L.L., Rejmánek, M. and Westbrooks, R. (1997) Introduced species: a significant component of human-caused global change. *New Zealand Journal of Ecology* 21(1), 1-16.
- Virtue, J.G. and Melland, R.L. (2003) *The Environmental Weed Risk of Revegetation and Forestry Plants*. Department of Water, Land and Biodiversity Conservation, South Australia, 169 pp.
- Wadham, S.M. and Wood, G.L. (1950) *Land Utilization in Australia*. 2nd Edn, Melbourne University Press, Carlton.
- Wajnberg, E., Scott, J.K. and Quimby, P.C. (Eds.) (2001) *Evaluating Indirect Ecological Effects of Biological Control*. CABI Publishing, Wallingford, UK.
- Wakefield, N.A. (1964a) Mammal sub-fossils from basalt caves in south-western Victoria. *Victorian Naturalist* 80(9), 274-278.
- Wakefield, N.A. (1964b) Recent mammalian sub-fossils of the basalt plains of Victoria. *Proceedings of the Royal Society of Victoria* 77(2), 419-425.
- Walsh, N.G. (1998) Identification of South American tussock weeds. *Plant Protection Quarterly* 13(2), 59-62.
- Walsh, N.G. and Stajsic, V. (2007) *A Census of the Vascular Plants of Victoria*. 8th Edn, Royal Botanic Gardens/National Herbarium of Victoria, South Yarra, Victoria.
- Wan, C. and Sosebee, R.E. (2000) Central dieback of the dryland bunchgrass *Eragrostis curvula* (weeping lovegrass) re-examined: The experimental clearance of tussock centres. *Journal of Arid Environments* 46, 69-78.
- Watson, L. and Dallwitz, M.J. (2005) *The grass genera of the world: descriptions, illustrations, identification, and information retrieval; including synonyms, morphology, anatomy, physiology, phytochemistry, cytology, classification, pathogens, world and local*

distribution, and references. Version: 28 November 2005. <http://delta-intkey.com/grass> [Accessed 16 July 2007]

Webb, S.D. (1978) A history of savanna vertebrates in the New World. Part II: South America and the Great Interchange. *Annual Review of Ecology and Systematics* 9, 393-426.

Weber, E. (2003) *Invasive Plant Species of the World. A Reference Guide to Environmental Weeds*. CABI Publishing, Wallingford, UK.

Webster, A., Fallu, R. and Preece, K. (2003) Striped Legless Lizard *Delma impar*. *Flora and Fauna Guarantee Action Statement* No. 17, Department of Sustainability and Environment, East Melbourne, 8 pp.

Wedin, D.A. (1999) Nitrogen availability, plant-soil feedbacks and grassland stability. In D. Eldridge and D. Freudenberger (Eds.), *VIth International Rangeland Congress Proceedings, Volume 1*. International Rangeland Congress Inc., Townsville, Queensland, pp. 193-197.

Weiss, P.W. and Noble, I.R. (1984) Status of coastal dune communities invaded by *Chrysanthemoides monilifera*. *Australian Journal of Ecology* 9, 93-98.

Wells, M.J., Balsinhas, A.A., Joffe, H., Engelbrecht, V.M., Harding, G. and Stirton, C.H. (1986) A Catalogue of Problem Plants in Southern Africa incorporating the National Weed List of Southern Africa. *Memoirs of the Botanical Survey of South Africa* No. 53.

Wells, M.J. and Stirton, C.H. (1982) Weed problems of South African pastures. In W. Holzner and N. Numata (Eds.), *Biology and Ecology of Weeds*. Dr W. Junk Publishers, The Hague, Netherlands, pp. 429-434.

Wheeler, D.J.B., Jacobs, S.W.L. and Norton, B.E. (1990) *Grasses of New South Wales*. 2nd Edn, University of New England, Armidale.

Whitney, K.D. and Gabler, C.A. (2008) Rapid evolution in introduced species, 'invasive traits' and recipient communities: challenges for predicting invasive potential. *Diversity and Distributions* 14, 569-580.

Wigney, R. (Coordinating Ed.) (1994) *Plants of the Merri Merri. A Home Gardener's Guide to Using Indigenous Plants in Northern Suburbs of Melbourne*. Revised Edn, Merri Creek Management Committee, Northcote, Victoria.

Wijesuriya, W.S. (1999) Investigation of the relationships between biomass reduction, soil disturbance, soil nutrients and weed invasion in basalt plains native grassland remnants in Victoria, Australia. PhD thesis, School of Life Sciences and Technology, Faculty of Engineering and Science, Victoria University, St Albans.

Wijesuriya, S. and Hocking, C. (1999). Why do weeds grow when you dig up native grasslands? The effects of physical disturbance on available nutrients, mineralisation and

- weed invasion in native grasslands. In V. Craigie and C. Hocking (Eds.), *Down to Grass Roots. Proceedings of a Conference on Management of Grassy Ecosystems*. Victoria University, St Albans, Victoria, pp. 31-37.
- Williams, J.A. and West, C.J. (2000) Environmental weeds in Australia and New Zealand: issues and approaches to management. *Austral Ecology* 25, 425-444.
- Williams, N.S.G. (2007) Environmental, landscape and social predictors of native grassland loss in western Victoria, Australia. *Biological Conservation* 137, 308-318.
- Williams, N.S.G., Morgan, J.W., McCarthy, M.A. and McDonnell, M.J. (2006) Local extinction of grassland plants: the landscape matrix is more important than patch attributes. *Ecology* 87(12), 3000-3006.
- Williamson, M.H. and Fitter, A. (1996) The characteristics of successful invaders. *Biological Conservation* 78, 163-170.
- Willis, J.H. (1964) Vegetation of the basalt plains in Western Victoria. *Proceedings of the Royal Society of Victoria (New Series)* 77(2), 397-418.
- Witt, A.B.R. and McConnachie, A.J. (2004) The potential for classical biological control of invasive grass species with special reference to invasive *Sporobolus* spp. (Poaceae) in Australia. In J.M. Cullen, D.T. Briese, D.J. Kriticos, W.M. Lonsdale, L. Morin and J.K. Scott (Eds.), *Proceedings of the XI International Symposium on Biological Control of Weeds*, Canberra, Australia, 27 April-2 May 2003, pp. 198-202.
- Wong, N. and Morgan, J. (2007) Review of grassland management in south-eastern Australia. *Parks Victoria Technical Series* 39, 30 pp.
- Woods, K.D. (1997) Community response to plant invasion. In J.O. Luken and J.W. Thieret (Eds.), *Assessment and Management of Plant Invasions*. Springer-Verlag, New York, pp. 57-68.
- Wynn, J.G. and Bird, M.L. (2007) C4-derived soil organic carbon decomposes faster than its C3 counterpart in mixed C3/C4 soils. *Global Change Biology* 13, 2206-2217.
- Yen, A.L. (1995) Some issues involved in the conservation of lowland native grassland invertebrates. In S. Sharp and R. Rehwinkel (Eds.), *Management of Relict Lowland Grasslands. Proceedings of a Workshop and Public Seminar, September 24 and 25 1993*. ACT Parks and Conservation Service Conservation Series No. 8, pp. 97-111.
- Yen, A.L. (1999) Grassland invertebrates of the Western Victorian Basalt Plains: plant crunchers or forgotten lunches? In R.N. Jones (Ed.), *The Great Plains Crash. Proceedings of a Conference on the Grasslands and Grassy Woodlands of Victoria*. Victorian Institute of

Technology October 2nd and 3rd, 1992, Indigenous Flora and Fauna Association and Victorian National Parks Association, pp. 57-68.

Yen, A.L., Horne, P.A., Kay, R. and Kobelt, A.J. (1994a) The use of terrestrial invertebrates to rank sites of the remnant western Victorian Basalt Plains Grasslands. Report to the Endangered Species Unit, Australian Nature Conservation Agency, June, 155 pp.

Yen, A.L., Kobelt, A.J., Lillywhite, P.K. and Van Praagh, B. (1994b) The terrestrial invertebrates of the western region of Melbourne. Report for the Department of Planning and Development with assistance from the Western Suburbs Action Program 1989/90, Department of Planning and Urban Growth, July, 116 pp.

Yen, A.L., Horne, P.A. and Kobelt, A.J. (1995) Invertebrates of the Victorian Basalt Plains Grasslands. Report to the Australian Heritage Commission for National Estate Program Grant 1993/94 Project No. 122 from the Museum of Victoria, July, 88 pp.

Zimmer, H.C., Turner, V.B., Mavromihalis, J., Dorrough, J. and Moxham, C. (2010a) Forb responses to grazing and rest management in a critically endangered Australian native grassland ecosystem. *The Rangeland Journal* 32, 187-195.

Zimmer, H.C., Mavromihalis, J., Turner, V.B., Moxham, C. and Liu, C. (2010b) Native grasslands in the PlainsTender incentive scheme: conservation value, management and monitoring. *The Rangeland Journal* 32, 205-214.

Zimmerman, E.C. (1992) *Australian Weevils (Coleoptera: Curculionoidea) Volume VI. Colour Plates 305-632*. CSIRO and Entomological Society of America, East Melbourne and Lanham, Maryland, USA.

Zimmerman, E.C. (1993) *Australian Weevils (Coleoptera: Curculionoidea) Volume III. Nanophyidae, Rhynchophoridae, Erihniidae, Curculionidae: Amycterinae, Literature Consulted*. CSIRO and Entomological Society of America, East Melbourne and Lanham, Maryland.

Zimmerman, E.C. (1994a) *Australian Weevils (Coleoptera: Curculionoidea) Volume I. Orthoceri, Anthribidae to Attelabidae. The Primitive Weevils*. CSIRO and Entomological Society of America, East Melbourne and Lanham, Maryland.

Zimmerman, E.C. (1994b) *Australian Weevils (Coleoptera: Curculionoidea) Volume II. Brentidae, Eurhynchidae, Apionidae and a Chapter on Immature Stages by Brenda May*. CSIRO and Entomological Society of America, East Melbourne and Lanham, Maryland, USA.

Zola, N. and Gott, B. (1992) *Koorie Plants Koorie People. Traditional Aboriginal Food, Fibre and Healing Plants of Victoria*. Koorie Heritage Trust, Melbourne.