

Appendix 6. Assessment form for Temperate Littoral Rainforest

TEMP. LITTORAL RAINFOREST
Location
Date
Size of Area

VERY COMMON SPECIES	
<i>Acmena smithii</i>	
<i>Breynia oblongifolia</i>	
<i>Commelina cyanea</i>	
<i>Eucalyptus botryoides</i>	
<i>Eustrephus latifolius</i>	
<i>Geitonoplesium cymosum</i>	
<i>Livistona australis</i>	
<i>Marsdenia rostrata</i>	
<i>Oplismenus imbecillis</i>	
<i>Pittosporum undulatum</i>	
<i>Pseuderanthemum variabile</i>	
<i>Viola hederacea</i>	
TOTAL number	A

COMMON SPECIES	
<i>Cissus hypoglauca</i>	
<i>Diospyros australis</i>	
<i>Eupomatia laurina</i>	
<i>Guioa semiglauca</i>	
<i>Lomandra longifolia</i>	
<i>Morinda jasminoides</i>	
<i>Notelaea venosa</i>	
<i>Parsonsia straminea</i>	
<i>Pellaea falcata</i>	
<i>Pittosporum revolutum</i>	
<i>Sarcopetalum harveyanum</i>	
<i>Smilax australis</i>	
<i>Smilax glycyphylla</i>	
<i>Synoum glandulosum</i> subsp. <i>glandulosum</i>	
TOTAL number	B

QUITE COMMON SPECIES	
<i>Acacia maidenii</i>	
<i>Adiantum aethiopicum</i>	
<i>Cissus antarctica</i>	
<i>Claoxylon australe</i>	
<i>Dianella caerulea</i>	
<i>Doodia aspera</i>	
<i>Elaeocarpus reticulatus</i>	
<i>Elaeodendron australe</i>	

continued overleaf

UNCOMMON SPECIES	
<i>Banksia integrifolia</i> subsp. <i>integrifolia</i>	
<i>Acronychia oblongifolia</i>	
<i>Alectryon subcinereus</i>	
<i>Alphitonia excelsa</i>	
<i>Aphanopetalum resinosum</i>	
<i>Arthropodium</i> sp.	
<i>Asplenium flabellifolium</i>	
<i>Banksia serrata</i>	
<i>Calochlaena dubia</i>	
<i>Canthium coprosmoides</i>	
<i>Cassine australis</i>	
<i>Casuarina glauca</i>	
<i>Cayratia clematidea</i>	
<i>Celtis paniculata</i>	
<i>Clematis aristata</i>	
<i>Clerodendrum tomentosum</i>	
<i>Corymbia maculata</i>	
<i>Cryptocarya glaucescens</i>	
<i>Cryptocarya microneura</i>	
<i>Cyperus gracilis</i>	
<i>Davallia solida</i> var. <i>pyxidata</i>	
<i>Desmodium gunnii</i>	
<i>Diospyros pentamera</i>	
<i>Duboisia myoporoides</i>	
<i>Entolasia marginata</i>	
<i>Euroschinus falcata</i> var. <i>falcata</i>	
<i>Ficus obliqua</i>	
<i>Gahnia erythrocarpa</i>	
<i>Gahnia sieberiana</i>	
<i>Geranium homeanum</i>	
<i>Glycine</i> sp.	
<i>Gymnostachys anceps</i>	
<i>Hibbertia scandens</i>	
<i>Hymenanchera dentata</i>	
<i>Hypolepis muelleri</i>	
<i>Imperata cylindrica</i>	
<i>Lepidosperma laterale</i>	
<i>Litsea reticulata</i>	
<i>Maclura cochinchinensis</i>	
<i>Macrozamia communis</i>	

continued overleaf

quite common species cont.

<i>Endiandra sieberi</i>	
<i>Ficus coronata</i>	
<i>Gahnia aspera</i>	
<i>Glochidion ferdinandi</i>	
<i>Kennedia prostrata</i>	
<i>Myrsine howittiana</i>	
<i>Myrsine variabilis</i>	
<i>Notelaea longifolia</i>	
<i>Pittosporum multiflorum</i>	
<i>Podocarpus elatus</i>	
<i>Pteridium esculentum</i>	
<i>Stephania japonica</i>	
<i>Tylophora barbata</i>	
<i>Wilkiea huegeliana</i>	
TOTAL number	C

uncommon species cont.

<i>Marsdenia flavescens</i>	
<i>Melicope micrococca</i>	
<i>Microlaena stipoides</i> var. <i>stipoides</i>	
<i>Oplismenus aemulus</i>	
<i>Oxalis rubens</i>	
<i>Pandorea pandorana</i> subsp. <i>pandorana</i>	
<i>Platynerium bifurcatum</i>	
<i>Plectranthus parviflorus</i>	
<i>Polyscias elegans</i>	
<i>Pouteria australis</i>	
<i>Psychotria loniceroides</i>	
<i>Pteris tremula</i>	
<i>Pyrrosia rupestris</i>	
<i>Rhagodia condolleana</i>	
<i>Ripogonum album</i>	
<i>Rubus moluccanus</i> var. <i>trilobus</i>	
<i>Rubus rosifolius</i>	
<i>Sarcomelicope simplicifolia</i> subsp. <i>simplicifolia</i>	
<i>Scolopia braunii</i>	
<i>Stellaria flaccida</i>	
<i>Stephania japonica</i> var. <i>discolor</i>	
<i>Trema tomentosa</i> var. <i>aspera</i>	
<i>Trophis scandens</i>	
<i>Urtica incisa</i>	
	D

No. OCCASIONAL Species	E
------------------------	----------

TOTAL SPECIES A+B+C+D+E	
--------------------------------	--

No species of each abundance class that should occur in sites.

Area	quadrat size						
ha	m x m	No. Occasional	No. Uncommon	No. Quite common	No. Common	No. Very Common.	TOTAL UQCV
0.04	20x20m	3	7	6	6	8	27
0.2	100x20	13	27	18	13	12	70
0.4	200x20	26	43	21	14	12	90
0.6	300x20	37	52	22	14	12	100
0.8	400x20	48	58	22	14	12	106
1	500x20	58	61	22	14	12	109
1.2	600x20	67	63	22	14	12	111
1.4	700x20	75	64	22	14	12	112
1.6	800x20	83	64	22	14	12	112
1.8	900x20	90	64	22	14	12	112
2	1000x20	96	64	22	14	12	112

not planted

Southern limit of species

	known southern limit	source
Shoalhaven area		
<i>Planchonella australis</i>	Gerroa	Mills
<i>Gymnostachys anceps</i>	Comerong Is	This study
<i>Cayratia clematidea</i>	Comerong Is	Plantnet
Jervis Bay area		
<i>Melicope micrococca</i>	Beecroft Pen.	This study
<i>Myrsine variabilis</i>	Beecroft Pen.	This study
<i>Diospyros pentamera</i>	Beecroft Pen.	This study
<i>Podocarpus elatus</i>	Beecroft Pen.	Plantnet
<i>Cyclophyllum longipetalum</i>	Jervis Bay	Plantnet
<i>Euroschinus falcatus var. falcatus</i>	Jervis Bay	Plantnet
<i>Polyscias elegans</i>	Jervis Bay	Plantnet
<i>Scolopia braunii</i>	Jervis Bay	Plantnet
Batemans Bay area		
<i>Maclura cochinchinensis</i>	Milton	Plantnet
<i>Celtis paniculata</i>	Marramarang	This study
<i>Clerodendrum tomentosum</i>	Batemans Bay	Plantnet
<i>Duboisia myoporoides</i>	Batemans Bay	Plantnet
<i>Guioa semiglaucula</i>	Batemans Bay	Plantnet
<i>Wilkiea huegeliana</i>	Batemans Bay	Plantnet
Gulaga		
<i>Alphitonia excelsa</i>	Gulaga	Plantnet
<i>Cryptocarya glaucescens</i>	Gulaga	Plantnet
<i>Ficus obliqua</i>	Gulaga	Plantnet
Tuross Head		
<i>Trophis scandens</i>	Tuross Head	Mills
<i>Endiandra sieberi</i>	Tuross Head	This study
<i>Diospyros australis</i>	Tuross Head	This study
<i>Smilax glycyphylla</i>	Tuross Head	This study
<i>Glochidion ferdinandi</i>	Tuross Head	Plantnet
At least Mimosa Rocks		
<i>Elaeodendron australis</i>	Mimosa Rocks	This study
<i>Commelina cyanea</i>	Mimosa Rocks	This study
<i>Synoum glandulosum subsp. glandulosum</i>	Mimosa Rocks	This study
<i>Pseuderanthemum variabile</i>	Mimosa Rocks	This study
<i>Platynerium bifurcatum</i>	Mimosa Rocks	Plantnet