

State/Territory	NRM Region	National Prickly Acacia Priorities 2009-11 (not including research)
National - over-arching priorities (specific priorities are described for each region below).		* Refer to the National Priority Action Framework 2009-11 for an explanation of the national direction for the Prickly Acacia WoNS program.
ACT	ACT	* Prickly acacia does not occur in the region and falls outside modelled potential distribution.
New South Wales	Border Rivers-Gwydir	* Prickly acacia does not occur in the region but presents a low to medium risk of invasion.
	Central West	* Prickly acacia does not occur in the region but presents a low to medium risk of invasion.
	Hawkesbury-Nepean	* Prickly acacia does not occur in the region and falls outside modelled potential distribution.
	Hunter-Central Rivers	* Prickly acacia does not occur in the region and falls outside modelled potential distribution.
	Lachlan	* Prickly acacia does not occur in the region and falls outside modelled potential distribution.
	Lower Murray Darling	* Prickly acacia does not occur in the region and falls outside modelled potential distribution.
	Murray	* Prickly acacia does not occur in the region and falls outside modelled potential distribution.
	Murrumbidgee	* Prickly acacia does not occur in the region and falls outside modelled potential distribution.
	Namoi	* Prickly acacia does not occur in the region but presents a low risk of invasion.
	Northern Rivers	* Prickly acacia does not occur in the region and falls outside modelled potential distribution.
	Southern Rivers	* Prickly acacia does not occur in the region and falls outside modelled potential distribution.
Sydney Metro	* Prickly acacia does not occur in the region and falls outside modelled potential distribution.	
Western	* Prickly acacia does not occur in the region but presents a low to medium risk of invasion.	
Northern Territory	Northern Territory	* Implement control and follow-up treatment of isolated, small-scale occurrences in the Barkly and Katherine Regions and the Victoria River District.

		<p>These sites are nationally strategic and a very high priority for eradication.</p> <ul style="list-style-type: none"> * Education and awareness is required to assist early detection and delimitation. * Further surveys may be required in the Victoria River District.
Queensland	QMDC	<ul style="list-style-type: none"> * Prickly acacia does not occur in the region but presents a low risk of invasion.
	North Queensland Dry Tropics	<ul style="list-style-type: none"> * Control small scale, outlier infestations in the region and contain larger infestations in the Bowen area. * Education and awareness is required to assist early detection and delimitation.
	Burnett Mary	<ul style="list-style-type: none"> * Isolated, small scale infestations have been successfully controlled in the Gayndah district and require monitoring. * Education and awareness is required to assist early detection and delimitation.
	Cape York	<ul style="list-style-type: none"> * Prickly acacia does not occur in the region but presents a medium risk of invasion.
	Condamine	<ul style="list-style-type: none"> * Prickly acacia does not occur in the region but presents a low risk of invasion.
	Desert Channels	<ul style="list-style-type: none"> * Control outlier infestations posing a high threat to the lower Lake Eyre Basin * Core infestations present - strengthen containment lines through buffer zones in the Diamantina, Thomson and Barcoo River catchments to reduce the threat to the lower Lake Eyre Basin. * Best practice promotion to reduce impacts within core areas.
	Fitzroy	<ul style="list-style-type: none"> * Control outlier infestations scattered across region * Develop collaborative partnerships to improve planning and control implementation * Education and awareness is required to assist early detection and delimitation.
	Reef Catchments	<ul style="list-style-type: none"> * Isolated plants occur in the region and are under local government or landholder management. * Education and awareness is required to assist early detection and delimitation.
	Northern Gulf	<ul style="list-style-type: none"> * Isolated plants occur in the region and are under local government or landholder management. * Education and awareness is required to assist early detection.
South East Queensland	<ul style="list-style-type: none"> * Isolated plants occur in the region and are under local government or landholder management. 	

	South West Queensland	<ul style="list-style-type: none"> * Prickly acacia does not occur in the region but presents a medium to high risk of invasion. * Education and awareness is required to assist early detection.
	Southern Gulf	<ul style="list-style-type: none"> * Control outlier infestations posing a high threat in the lower Gulf of Carpentaria * Core infestations present - strengthen containment lines through buffer zones in the Flinders River catchment to reduce the threat to the lower Gulf. * Best practice promotion to reduce impacts within core areas.
	Torres Strait	<ul style="list-style-type: none"> * Prickly acacia does not occur in the region and falls outside modelled potential distribution.
	Terrain (Wet Tropics)	<ul style="list-style-type: none"> * Prickly acacia does not occur in the region and falls outside modelled potential distribution.
South Australia	Adelaide and Mount Lofty Ranges	<ul style="list-style-type: none"> * Prickly acacia does not occur in the region and falls outside modelled potential distribution.
	Alinytjara Wilurara	<ul style="list-style-type: none"> * Prickly acacia does not occur in the region but presents a low risk of invasion.
	Eyre Peninsula	<ul style="list-style-type: none"> * Prickly acacia does not occur in the region and falls outside modelled potential distribution.
	Kangaroo Island	<ul style="list-style-type: none"> * Prickly acacia does not occur in the region and falls outside modelled potential distribution.
	Northern and Yorke	<ul style="list-style-type: none"> * Prickly acacia does not occur in the region and falls outside modelled potential distribution.
	South Australian Arid Lands	<ul style="list-style-type: none"> * An isolated, nationally strategic site occurs on one property in the north east of the region. * The site is a very high priority for eradication and is being managed by the landholder.
	South Australian Murray Darling Basin	<ul style="list-style-type: none"> * Prickly acacia does not occur in the region and falls outside modelled potential distribution.
	South East	<ul style="list-style-type: none"> * Prickly acacia does not occur in the region and falls outside modelled potential distribution.
Tasmania	North	<ul style="list-style-type: none"> * Prickly acacia does not occur in the region and falls outside modelled potential distribution.
	North West (Cradle Coast)	<ul style="list-style-type: none"> * Prickly acacia does not occur in the region and falls outside modelled potential distribution.
	South	<ul style="list-style-type: none"> * Prickly acacia does not occur in the region and falls

		outside modelled potential distribution.
Victoria	Corangamite	* Prickly acacia does not occur in the region and falls outside modelled potential distribution.
	East Gippsland	* Prickly acacia does not occur in the region and falls outside modelled potential distribution.
	Glenelg Hopkins	* Prickly acacia does not occur in the region and falls outside modelled potential distribution.
	Goulburn Broken	* Prickly acacia does not occur in the region and falls outside modelled potential distribution.
	Mallee	* Prickly acacia does not occur in the region and falls outside modelled potential distribution.
	North Central	* Prickly acacia does not occur in the region and falls outside modelled potential distribution.
	North East	* Prickly acacia does not occur in the region and falls outside modelled potential distribution.
	Port Phillip and Westernport	* Prickly acacia does not occur in the region and falls outside modelled potential distribution.
	West Gippsland	* Prickly acacia does not occur in the region and falls outside modelled potential distribution.
	Wimmera	* Prickly acacia does not occur in the region and falls outside modelled potential distribution.
Western Australia	Avon	* Prickly acacia does not occur in the region and falls outside modelled potential distribution.
	Rangelands	* Eradicate a national strategic, small scale outlier infestation in the Kimberley that is impacting on wetlands and the indigenous community * Education and awareness is required to assist early detection.
	South Coast	* Prickly acacia does not occur in the region and falls outside modelled potential distribution.
	South West	* Prickly acacia does not occur in the region and falls outside modelled potential distribution.
	Perth	* Prickly acacia does not occur in the region and falls outside modelled potential distribution.
	Northern Agricultural Region	* Prickly acacia does not occur in the region and falls outside modelled potential distribution.