

State/Territory	NRM Region	National Mesquite Priorities 2009-11 (not including research)
National - over-arching priorities (specific priorities are described for each region below).		* Refer to the National Priority Action Framework 2009-11 for an explanation of the national direction for the mesquite WoNS program.
ACT	ACT	* Mesquite does not occur in the region and falls outside modelled potential distribution.
New South Wales	Border Rivers-Gwydir	* Mesquite is not known to be in this region but there is a low risk of invasion.
	Central West	* Isolated, small-scale infestations are known in the region and are a high priority for eradication. * Education and awareness is required.
	Hawkesbury-Nepean	* Mesquite does not occur in the region and falls outside modelled potential distribution.
	Hunter-Central Rivers	* Mesquite does not occur in the region and falls outside modelled potential distribution.
	Lachlan	* Isolated occurrences of mesquite plants may be present. * Education and awareness is required to assist early detection and delimitation.
	Lower Murray Darling	* Isolated, small-scale outlier infestations are known in the region and are a very high priority for eradication or control. * Education and awareness is required to assist early detection and delimitation.
	Murray	* Isolated mesquite plants may be present. * Education and awareness is required to assist early detection and delimitation.
	Murrumbidgee	* Isolated, small-scale infestations have been controlled and require monitoring and follow-up control. * Education and awareness is required to assist early detection and delimitation.
	Namoi	* Mesquite is not known to be present in this region and is a low risk of invasion.
	Northern Rivers	* Mesquite does not occur in the region and falls outside modelled potential distribution.
Southern Rivers	* Mesquite does not occur in the region and falls outside modelled potential distribution.	
Sydney Metro	* Mesquite does not occur in the region and falls outside	

		modelled potential distribution.
	Western	<p>* Isolated, small to moderate scale infestations are known in the region and are a very high priority for eradication or control.</p> <p>* Education and awareness is required to assist early detection and delimitation.</p> <p>* Further mapping is required in conjunction with control programs.</p>
Northern Territory	Northern Territory	<p>* Isolated, small-scale infestations are known in the Barkly, Katherine and Alice Springs regions and are a very high priority for eradication.</p> <p>* Follow-up control of infestations in all regions.</p>
Queensland	QMDC	<p>* An isolated, small scale infestation has been controlled in the Texas district and requires monitoring. * Very high priority for eradication.</p> <p>* Education and awareness is required to assist early detection and delimitation.</p>
	North Queensland Dry Tropics	<p>* Isolated mesquite plants are known in the Townsville area and are a high priority for eradication.</p>
	Burnett Mary	<p>* An isolated, small scale infestation has been controlled in the Gayndah district and requires monitoring and follow-up.</p> <p>* Education and awareness is required to assist early detection and delimitation.</p>
	Cape York	<p>* Mesquite does not occur in the region and falls outside modelled potential distribution.</p>
	Condamine	<p>* Isolated plants are known in the region and are a high priority for eradication.</p>
	Desert Channels	<p>* Scattered, small scale infestations occur throughout the region and are a very high priority for control.</p> <p>* Collaborative planning and control partnerships required with landcare, local government and the regional group</p>
	Fitzroy	<p>* Scattered, small scale infestations occur throughout the region and are a very high priority for control.</p> <p>* Collaborative planning and control partnerships required with landcare, local government and the regional group</p>
	Reef Catchments	<p>* Mesquite does not occur in the region and falls outside modelled potential distribution.</p>
	Northern Gulf	<p>* Isolated plants may be present in the region and are a high priority for eradication.</p>

	South East Queensland	* Mesquite does not occur in the region and falls outside modelled potential distribution.
	South West Queensland	* Small scale outlier infestations occur in parts of the region and are a high priority for eradication. * The formerly large scale Quilpie infestation has been successfully reduced to minimal levels but requires follow-up control and monitoring
	Southern Gulf	* Scattered, small scale infestations occur throughout the region and are a very high priority for control. * Collaborative planning and control partnerships required with landcare, local government and the regional group * A community - govt taskforce is currently developing detailed maps innovative approaches to best practice * The large scale Hughenden infestation requires support for containment aims, strategic planning and attention to stock hygiene practices.
	Torres Strait	* Mesquite does not occur in the region and falls outside modelled potential distribution.
	Terrain (Wet Tropics)	* Mesquite does not occur in the region and falls outside modelled potential distribution.
South Australia	Adelaide and Mount Lofty Ranges	* Mesquite does not occur in the region and falls outside modelled potential distribution.
	Alinytjara Wilurara	* Mesquite does not occur in the region and is a minor risk of invasion.
	Eyre Peninsula	* Mesquite does not occur in the region and falls outside modelled potential distribution.
	Kangaroo Island	* Mesquite does not occur in the region and falls outside modelled potential distribution.
	Northern and Yorke	* Isolated, small-scale infestations are known in the region and are a high priority for eradication or control. * Education and awareness is required to assist early detection and delimitation.
	South Australian Arid Lands	* Isolated, small-scale infestations are known in the region and are a very high priority for eradication. * Education and awareness is required to assist early detection and delimitation.
	South Australian Murray Darling Basin	* Isolated plants are known in the region and are a high priority for eradication. * Education and awareness is required to assist early detection.

	South East	* Mesquite does not occur in the region and falls outside modelled potential distribution.
Tasmania	North	* Mesquite does not occur in the region and falls outside modelled potential distribution.
	North West (Cradle Coast)	* Mesquite does not occur in the region and falls outside modelled potential distribution.
	South	* Mesquite does not occur in the region and falls outside modelled potential distribution.
Victoria	Corangamite	* Mesquite does not occur in the region and falls outside modelled potential distribution.
	East Gippsland	* Mesquite does not occur in the region and falls outside modelled potential distribution.
	Glenelg Hopkins	* Mesquite does not occur in the region and falls outside modelled potential distribution.
	Goulburn Broken	* Mesquite does not occur in the region and falls outside modelled potential distribution.
	Mallee	* Isolated mesquite plants are known in the region and are subject to an ongoing, systematic control program. * A very high priority for eradication. * Follow-up control and delimitation required.
	North Central	* Isolated mesquite plants are known in the region and are subject to an ongoing control program. * A very high priority for eradication. * Follow-up control and delimitation required.
	North East	* Mesquite does not occur in the region and falls outside modelled potential distribution.
	Port Phillip and Westernport	* Mesquite does not occur in the region and falls outside modelled potential distribution.
	West Gippsland	* Mesquite does not occur in the region and falls outside modelled potential distribution.
	Wimmera	* Mesquite does not occur in the region and falls outside modelled potential distribution.
Western Australia	Avon	* Mesquite does not occur in the region and falls outside modelled potential distribution.
	Rangelands	* Eradication of outlier infestations in the Kimberley, Gascoyne and Pilbara regions. * Support for capacity building, best practice promotion & containment of core infestation in the

		Pilbara. * Strategic planning and attention to stock hygiene practices required for core area. * Continue national education and awareness activities to assist in early detection.
	South Coast	* Mesquite does not occur in the region and falls outside modelled potential distribution.
	South West	* Mesquite does not occur in the region and falls outside modelled potential distribution.
	Perth	* Mesquite does not occur in the region and falls outside modelled potential distribution.
	Northern Agricultural Region	* Mesquite does not occur in the region and is a minor risk of invasion.