



Flora of Australia

Hypolaena R.Br.

Author: Phillip Kodela

Cite this profile as: Phillip Kodela (2019) *Hypolaena*. In: Flora of Australia. Australian Biological Resources Study, Department of the Environment and Energy, Canberra. <https://profiles.ala.org.au/opus/foa/profile/Hypolaena> [Date Accessed: 19 April 2019]

Generated on Fri Apr 19, 2019

Copyright

© Copyright Commonwealth of Australia, 2019

The material in this profile is protected by copyright laws and may be used as permitted under the Copyright Act 1968 or in accordance with licences granted by the copyright owner.

Your right to use images and maps or to permit others to use these is subject to the terms of the licence that the contributor of them has applied to the image or map. Information on copyright in images is set out in the Acknowledgements section and through the ALA site at <http://www.ala.org.au/faq/using-images-found-on-the-ala/>. Text used in this profile has been contributed by the editors and others identified. Unless permitted by the copyright owner, you may download or print a single copy of this material for your own information, research or study.

You may not remove any copyright or other notices appearing in this profile.

No rights are granted to the Commonwealth Coat of Arms or to any logos or trade marks.

Please contact ALA at support@ala.org.au if you believe material in this profile infringes any rights or breaches any contract or licence obligations.

License

All material CC-BY unless otherwise stated.

ISSN: 22077820

Profile Updated: Fri Apr 19, 2019 12:27 PM +10:00

Version: 1

Cite this profile as: Phillip Kodela (2019) Hypolaena. In: Flora of Australia. Australian Biological Resources Study, Department of the Environment and Energy, Canberra. <https://profiles.ala.org.au/opus/foa/profile/Hypolaena> [Date Accessed: 19 April 2019]

Profile permalink:


<https://profiles.ala.org.au/opus/foa/profile/8952a462-4aff-4db0-be94-8e4042e25878>



Hypolaena R.Br.

- Brown, R. (1810), *Prodromus florum Novae Hollandiae et insulae Van-Diemen, exhibens characteres plantarum quas annis 1802-1805* : 251

Phillip Kodela



Images



Fig. 1: '*Hypolaena fastigiata*' by Fagg, M. (© Fagg, M.)



Fig. 2: '*Hypolaena fastigiata*' by Fagg, M. (© Fagg, M.)





Fig. 3: '*Hypolaena exsulca*' by Thiele, K.R. (© Thiele, K.R.)



Fig. 4: '*Hypolaena fastigiata*' by Fagg, M. (© Fagg, M.)



Fig. 5: '*Hypolaena fastigiata*' by Fagg, M. (© Fagg, M.)



Fig. 6: '*Hypolaena fastigiata*' by Fagg, M. (© Fagg, M.)



Fig. 7: '*Hypolaena fastigiata*' by Fagg, M. (© Fagg, M.)




Fig. 8: '*Hypolaena fastigiata*' by Fagg, M. (© Fagg, M.)





Fig. 9: '*Hypolaena exsulca*' by Thiele, K.R. (© Thiele, K.R.)



Flowering plants of Australia Hypolaena key

From: **Meney, K.A.; Pate, J.S.** (1999).

1	Mid-culm sheaths glabrous	2
1	Mid-culm sheaths with fringe of long hairs	<i>Hypolaena pubescens</i>
2	Rhizomes creeping	3
2	Rhizomes erect; culms densely crowded, lax	<i>Hypolaena caespitosa</i>
3	Culms profusely branched, with sinuous branches	4
3	Culms straight, erect, sparsely branched	6
4	Bracts of spikelets broadly triangular, lacking translucent margin	5
4	Bracts of spikelets tapering to narrow point, with translucent margins	<i>Hypolaena fastigiata</i>
5	Rhizomes lacking prominent hairs; fruit elongate, 4 x 2 mm, pitted, with a green stalk	<i>Hypolaena viridis</i>
5	Rhizomes prominently hairy; fruit more or less spherical, c. 2 mm diam., smooth	<i>Hypolaena grandiuscula</i>
6	Basal culms 1.5-2 mm diam.	7
6	Basal culms 2.5-5 mm diam.	<i>Hypolaena robusta</i>
7	Rhizome 1.5-2 mm diam.; inflorescence bracts <2 mm long, commonly falling after release of fruit	<i>Hypolaena humilis</i>
7	Rhizome 4-6 mm diam.; inflorescence bracts 8-15 mm long, persistent after release of fruit	<i>Hypolaena exsulca</i>

