



Flora of Australia

Paronychia Mill.

Author: Russell Barrett

Cite this profile as: Russell Barrett (2016) *Paronychia*. In: Flora of Australia. Australian Biological Resources Study, Department of the Environment and Energy, Canberra. <https://profiles.ala.org.au/opus/foa/profile/Paronychia> [Date Accessed: 31 October 2019]

Generated on Thu Oct 31, 2019

Copyright

© Copyright Commonwealth of Australia, 2019

The material in this profile is protected by copyright laws and may be used as permitted under the Copyright Act 1968 or in accordance with licences granted by the copyright owner.

Your right to use images and maps or to permit others to use these is subject to the terms of the licence that the contributor of them has applied to the image or map. Information on copyright in images is set out in the Acknowledgements section and through the ALA site at <http://www.ala.org.au/faq/using-images-found-on-the-ala/>. Text used in this profile has been contributed by the editors and others identified. Unless permitted by the copyright owner, you may download or print a single copy of this material for your own information, research or study.

You may not remove any copyright or other notices appearing in this profile.

No rights are granted to the Commonwealth Coat of Arms or to any logos or trade marks.

Please contact ALA at support@ala.org.au if you believe material in this profile infringes any rights or breaches any contract or licence obligations.

License

All material CC-BY unless otherwise stated.

ISSN: 22077820

Profile Updated: Mon Nov 7, 2016 4:14 PM +11:00

Version: 1

Cite this profile as: Russell Barrett (2016) Paronychia. In: Flora of Australia. Australian Biological Resources Study, Department of the Environment and Energy, Canberra. <https://profiles.ala.org.au/opus/foa/profile/Paronychia> [Date Accessed: 31 October 2019]

Profile permalink:


<https://profiles.ala.org.au/opus/foa/profile/daf62c29-9c56-4292-baf5-5df96d2ba2e0>



***Paronychia* Mill.**

- Miller, P. (1754) , *The Gardeners Dictionary abridged* Edn. 4 : .

Russell Barrett



Images



Fig. 1: '*Paronychia brasiliiana*' by Fagg, M. (© Fagg, M.)



Fig. 2: '*Paronychia brasiliiana*' by Fagg, M. (© Fagg, M.)





Fig. 3: '*Paronychia brasiliana*' by Fagg, M. (© Australian National Botanic Gardens)



Fig. 4: '*Paronychia brasiliana*' by Fagg, M. (© Fagg, M.)



Fig. 5: '*Paronychia brasiliana*' by Fagg, M. (© Australian National Botanic Gardens)




Fig. 6: '*Paronychia brasiliana*' by Fagg, M. (© Fagg, M.)



Fig. 7: '*Paronychia brasiliana*' by Fagg, M. (© Fagg, M.)



Flora of Australia: vascular plants *Paronychia* key

Modified from: **Adams. L.G.** (2002). Caryophyllaceae. In: *Flora of Australia* (unpublished).

- | | | |
|---|--|-------------------------------|
| 1 | Bracts in dense, silvery clusters, $\pm$ concealing flowers | <i>Paronychia argentea</i> |
| 1 | Bracts not in dense clusters concealing flowers | 2 |
| 2 | Sepals strongly cucullate, glabrous or rarely sparsely puberulent near base, at maturity usually reddish brown; awns spreading at c. 40° to axis | <i>Paronychia brasiliiana</i> |
| 2 | Sepals not strongly cucullate, sparsely puberulent throughout or at least at base and apex, at maturity usually pale brown; awns erect or spreading, at c. 10° to axis | <i>Paronychia franciscana</i> |

